

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 06/11/2019

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 1 OF 9

SECTION 1

PRODUCT IDENTIFICATION

1.1 Product identifier

Product name Hydrochloric Acid, 32% Reagent Grade

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

SECTION 2

HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to WHS Regulations (Australia)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

C Corrosive R34 Xi Irritant R37

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Pictogram





Signal word

Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statement(s)

P234 Keep only in original container.
P260 Do not breathe vapours.

P264 Wash hand thoroughly after handling.
P271 Use only outdoor or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

ABN: 66 052 001 144



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre
189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 06/11/2019

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 2 OF 9

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant/ container with a resistant inner liner.

2.3 Other hazards None

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixture

Hydrochloric acid

Synonyms Chlorohydric acid, Hydrogen chloride, Muriatic acid, Spirits of salt.

CAS-No EC-No EC-Index-No Formula Molecular Weight 7647-01-0 231-595-7 017-002-01-X HCI 36.46 g/mol

Hazardous ingredients according to WHS Regulations (Australia)

Component	Classification
Hydrochloric acid	
CAS-No 7647-01-0	Corrosive to metals (Category 1), H290
EC-No 231-595-7	Skin corrosion (Category 1B), H314
EC-Index-No 017-002-01-X	Specific target organ toxicity - single exposure (Category
	3), Respiratory system, H335

Hazardous ingredients according to Directive 1999/45/EC

Component	Classification
Hydrochloric acid	
CAS-No 7647-01-0	C, Corrosive, R34
EC-No 231-595-7	Xi, Irritant, R37
EC-No 231-595-7 EC-Index-No 017-002-01-X	Xi, Irritant, R37

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 Email

NEW Website: www.livingstone.com.au

4 Email: sales@livingstone.com.au

Issue Date: 06/11/2019

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 3 OF 9

SECTION 4

FIRST AID MEASURES

4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of

shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose.

Use suitable instruments/apparatus.

Skin contact Remove contaminated clothing and wash affected skin with soap and water. Dab with

polyethylene glycol 400. If signs of poisoning appear, treat as for inhalation. Obtain

medical attention. Wash contaminated clothing before reuse.

Eye contact If the substance has got into the eyes, immediately wash out with plenty of water at least

15 minutes. Obtain medical attention.

Ingestion Rinse mouth. Do not induce vomiting. Keep patient warm. In case of shortness of breath,

give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus. Obtain medical attention. Never give anything by mouth to an

unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

After swallowing: make victim drink water (two glasses at the most), avoid vomiting (risk of perforation). Immediately call in physician. Do not attempt to neutralize.

SECTION 5

FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

In adaption to materials stored in the immediate neighborhood.

5.2 Special hazards arising from the substance or mixture

Non-combustible. Hydrogen may form upon contact with metals (danger of explosion). Ambient fire may liberate hazardous vapors. The following may develop in event of fire: Hydrochloric acid.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Hazchem Code

2R

5.5 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

ABN: 66 052 001 144



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 06/11/2019

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 4 OF 9

SECTION 6

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Contain or absorb leaking liquid with sand or earth, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

6.3 Methods and materials for containment and cleaning up

Spillage: soak up with inert absorbent material (e.g. sand, silica gel). Prevent liquid entering sewers, basements and workpits. Transfer to covered drums. Dispose of promptly.

6.4 Reference to other sections

For disposal see Section 13.

SECTION 7

HANDLING AND STORAGE

7.1 Precautions for safe handling

Provision of good ventilation in the working area. The floor must be acid resistant. Suitable materials: Glass, Stoneware, porcelain, Polyvinyl chloride, Polyethylene (PE), Polypropylene, Polytetrafluoroethylene PTFE (Teflon). Do not leave container open. Avoid spillage.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water and incompatible materials. Requirements for containers, no metal containers.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure limit (Safe Work Australia)

TWA: 5 ppm (7.5 mg/m³ peak limitation)

STEL: Not Available

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 06/11/2019

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 5 OF 9

Individual protection measures (Personal protective equipment, PPE) Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from nitrile rubber material.
- Splash contact wears gloves from natural latex material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter E-(P2) (EN 141 or EN 14387).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

SECTION 9

PHYSICAL/CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: From Liquid
: Color Colorless
Odour Pungent
Odour Threshold Not Available

pH <1 at 20°C
Melting point/range -32°C
Boiling point/range 58°C

Flash point

Evaporation rate

Flammability (solid, gas)

Explosion limits: lower

upper

Vapor Pressure

Not Available

Not Available

Not Available

17.8 mmHg at 20°C

Relative Vapor Density Not Available Density 1.18 g/ml at 20°C Water solubility Soluble at 20°C Partition coefficient (n-octanol/water) Not Available Auto-Ignition temperature Not Available **Decomposition Temperature** Not Available Viscosity Not Available Explosive properties Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

NEW Website: www.livingstone.com.au



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 Email: sales@livingstone.com.au

06/11/2019 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:**

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 6 OF 9

STABILITY AND REACTIVITY

10.1 Reactivity

Corrosive in contact with metals. Reacts with alkalis, strong oxidizing agents and strong bases.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion in contact with alkali metals, conc. sulphuric acid, potassium permanganate.

The substance can react dangerously with aluminium, alkali hydroxide, amines, ammonia, fluorine, bases, oxidizing agents, metal carbides, calcium hydride, formaldehyde, copper sulphide, lithium silicide, metals, sodium hydride, sodium hypochlorite and its solutions, silanes, silicon dioxide, vinyl methyl ether and zinc.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Aluminium, amines, carbides, hydrides, fluorine, potassium permanganate, strong alkali, salts of oxyhalogenic acids, conc sulfuric acid, semimetallic oxide, semimetallic hydrogen compounds, aldehydes, sulfides, lithium silicide, vinylmethyl ether.

Incompatible with various metals and metal alloys.

10.6 Hazardous decomposition products

Hydrogen gas (Hazardous decomposition products from under contact with metals). Danger of explosion.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mixture

Acute toxicity

Not Available

Acute oral toxicity

Symptoms: burns in mouth, throat, oesophagus and gastrointestinal tract. Risk of perforation in the oesophagus and stomach.

Acute inhalation toxicity

Irritations of the mucous membranes, coughing, and dyspnoea.

Skin corrosion/irritation

Burns

Serious eye damage/eye irritation

Burns, Risk of blindness



IVINGSTONE INTERNATIONAL PT

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

NEW Website: www.livingstone.com.au



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 Email: sales@livingstone.com.au

06/11/2019 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:**

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 7 OF 9

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Not Available

Carcinogenicity

Not Available

Reproductive toxicity

Not Available

Teratogenicity

Not Available

Specific target organ toxicity (STOT) - single exposure

May cause respiratory irritation.

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

Further information

After a latency period: cardiovascular failure.

SECTION 12 ECOLOGICAL INFORMATION

Mixture

12.1 Toxicity

Toxicity to fish LC₅₀ Leuciscus idus: 862 mg/l (1N solution)

12.2 Persistence and degradability

Not Available

12.3 Bioaccumulative potential

Not Available

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Forms corrosive mixtures with water even if diluted. Damage to plant growth. The following applies to Hydrochloric acid general: Harmful effect on aquatic organisms. Harmful effect due to pH shift.

Do not allow to enter waters, waste water or soil.



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

06/11/2019 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:**

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 8 OF 9

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

SECTION 14

TRANSPORT INFORMATION

Land Transport (ADG Code)

UN Number 1789

UN proper shipping name HYDROCHLORIC ACID

Transport hazard class(es) Hazchem Code 2R Packing group Ш Environmental hazards No Special precautions for user Yes

Sea transport (IMDG)

UN Number 1789

HYDROCHLORIC ACID UN proper shipping name

Transport hazard class(es) R Packing group Ш Marine pollutant No Special precautions for user Yes F-A S-B **FmS**

Air transport (IATA)

UN Number 1789

HYDROCHLORIC ACID UN proper shipping name

Transport hazard class(es) 8 Packing group Ш Environmental hazards Nο Special precautions for user Nο

River transport (AND/ADNR)

(Not examined)



100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

ABN: 66 052 001 144



Head Office: Suite 1, Level 9, Building 3 Connect Corporate Centre 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444

NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 06/11/2019

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSAC07332500

PAGE 9 OF 9

SECTION 15 REGULATORY INFORMATION

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Information Listed in the Australian Inventory of Chemical Substances (AICS).

Poisons Schedule S6

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Full text of R-phrases referred to under sections 2 and 3

C Corrosive.
Xi Irritant

R34 Causes burns.

R37 Irritating to respiratory system.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to Code of Practice for the Lebelling of Workplace Hazardous Chemicals (Safe Work Australia).

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany,

Source: IFA for Databases on hazardous substances (GESTIS).

END OF SDS