LIVINGSTONE INTERNATIONAL PTY LTD

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au
WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 22/10/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSSA001-500G

PAGE 1 OF 3

(SECTION 1)

PRODUCT IDENTIFICATION

Synonyms: Sodium hydrogen carbonate; sodium acid carbonate; baking soda; bicarbonate of soda

CAS No.: 144-55-8 Molecular Weight: 84.01 Chemical Formula: NaHCO3

(SECTION 2)

HAZARD IDENTIFICATION

Composition:

Ingredient	CAS#	Percent
Sodium Bicarbonate	144-55-8	99 - 100%

Toxicological Data on Ingredients: Sodium hexametaphosphate: ORAL (LD50): Acute: 6200 mg/kg [Rat]. 4320 mg/kg [Mouse]. 3053 mg/kg [Rat]

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Health Rating: 1 - Slight
Flammability Rating: 1 - Slight
Reactivity Rating: 1 - Slight
Contact Rating: 1 - Slight

Lab Protective Equip: GOGGLES; LAB COAT **Storage Color Code:** Green (General Storage)

Inhalation: High concentrations of dust may cause coughing and sneezing. **Ingestion:** Extremely large oral doses may cause gastrointestinal disturbances.

Skin Contact: No adverse effects expected.

Eye Contact: Contact may cause mild irritation, redness, and pain.

Chronic Exposure: No information found.

Aggravation of Pre-existing Conditions: No information found.

(SECTION 4)

FIRST AID MEASURES

Inhalation:

Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion:

Give several glasses of water to drink to dilute. If large amounts were swallowed, get medical advice.

Skin Contact:

Not expected to require first aid measures.

Eye Contact:

Wash thoroughly with running water. Get medical advice if irritation develops.

The content of this SDS is to the best of Livingstone International's knowledge of the product and how to safely handle it in the workplace based on third party information. Livingstone International expressly disclaims that this SDS document is a representation or guarantee of full and complete information for the product. All users should read the SDS and consider the information in the context of how the selected product will be handled and used in the workplace including its use in independent expert. The responsibility for products sold by Livingstone International is subject to its standard Terms and Conditions of Sale (Australia, New Zealand).

LIVINGSTONE INTERNATIONAL PTY LTD

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 22/10/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSSA001-500G

PAGE 2 OF 3

SECTION 5 FIRE FIGHTING MEASURES

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire.

Special Information: Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal. Small amounts of residue may be flushed to sewer with plenty of water.

SECTION 7 HANDLING AND STORAGE

Keep in a well closed container stored under cold to warm conditions, 2 to 40 C, (36 to 104F). Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

(SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Airborne Exposure Limits: None established.

Ventilation System: In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.

Skin Protection: Wear protective gloves and clean body-covering clothing.

Eye Protection: Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

Appearance: White crystalline powder.

Odor: Odorless.

Solubility: 7.8g/100g water @ 18C (64F).

Density: 2.2

pH: 8.3 (0.1 molar @ 25C (77F))

% Volatiles by volume @ 21C (70F): 0

Boiling Point: Not applicable. **Melting Point:** 60C (140F)

Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): No information found. Evaporation Rate (BuAc=1): No information found.

The content of this SDS is to the best of Livingstone International's knowledge of the product and how to safely handle it in the workplace based on third party information. Livingstone International expressly disclaims that this SDS document is a representation or guarantee of full and complete information for the product. All users should read the SDS and consider the information in the context of how the selected product will be handled and used in the workplace including its use in independent expert. The responsibility for products sold by Livingstone International is subject to its standard Terms and Conditions of Sale (Australia, New Zealand).

LIVINGSTONE INTERNATIONAL PTY LTD

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 22/10/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: CSSA001-500G

PAGE 3 OF 3

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage. **Hazardous Decomposition Products:** Gaseous carbon dioxide.

Hazardous Polymerization: Will not occur.

Incompatibilities: Reacts with acids to form carbon dioxide. Dangerous reaction with monoammonium phosphate or a

sodium-potassium alloy.

Conditions to Avoid: Heat, moisture, incompatibles.

SECTION 11 TOXICOLOGICAL INFORMATION

Environmental Fate: No information found. Environmental Toxicity: For Sodium Bicarbonate:

48 hour EC50 Daphnia magna (water flea): 2350 mg/L. 96 hour LC50 Lepomis macrochirus (bluegill): > 5000 mg/L. 120 hour EC50 Nitzschia linearis (diatom): 650 mg/L.

This material is not expected to be toxic to aquatic life

(SECTION 12) ECOLOGICAL INFORMATION

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 13 DISPOSAL CONSIDERATIONS

No information available

SECTION 14 TRANSPORT INFORMATION

Not regulated.

SECTION 15 REGULATORY INFORMATION

No information available

(SECTION 16) OTHER INFORMATION

No information available

END OF SDS

The content of this SDS is to the best of Livingstone International's knowledge of the product and how to safely handle it in the workplace based on third party information. Livingstone International expressly disclaims that this SDS document is a representation or guarantee of full and complete information for the product. All users should read the SDS and consider the information in the context of how the selected product will be handled and used in the workplace including its use in independent expert. The responsibility for products sold by Livingstone International is subject to its standard Terms and Conditions of Sale (Australia, New Zealand).