Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 01/08/2018

Superseded Date: 01/08/20 Version Number: 06

SAFETY DATA SHEET

Product Code: DN18GX1.0LV

**PAGE 1 OF 8** 

### ( SECTION 1

#### PRODUCT IDENTIFICATION

**Product Name:** Livingstone Hypodermic Needle

Other Means of Identification:

No Available Information

#### **Recommended Uses and Restriction on Use:**

- · Mainly used for liquid injection or extraction
- · Used for syringe
- This product is only suitable for subcutaneous or intramuscular injection and intravenous blood tests, used by medical staff, prohibited for other purposes and non-medical staff

## SECTION 2

### **HAZARD IDENTIFICATION**

#### **Hazard Classification**

Acute Tox. 5;H303 May be harmful if swallowed. (Not adopted by US OSHA)

Eye Irrit. 2;H319 Causes serious eye irritation.
Skin Sens. 1;H317 May cause an allergic skin reaction.

Resp. Sens. 1;H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled.

Carc. 2;H351 Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure. Specific Target

STOT RE 1;H372 Organs: (lungs)

### **Label Elements and Precautionary Statements**



**Exclamation Mark** 



Health Hazard

H303 May be harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

### [Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 01/08/2018

## SAFETY DATA SHEET

Product Code: DN18GX1.0LV

PAGE 2 OF 8

P280 Wear protective gloves / eye protection / face protection.

P285 In case of inadequate ventilation wear respiratory protection.

#### [Response]:

**Version Number:** 

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P341 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

#### [Storage]:

P405 Store locked up.

[Disposal]:

## **COMPOSITION/INFORMATION ON INGREDIENTS**

### Made by Stainless Steel, Polypropylene

Ingredient/Chemical Designations	GHS Classification	Notes
Iron CAS Number: 0007439-89-6	Not Classified	[1]
Chromium compounds (as Cr (III)) CAS Number: 0007440-47-3	Skin Sens. 1;H317 Resp. Sens. 1;H334 Eye Irrit. 2;H319 Aquatic Chronic 4;H413	[1] [2]
Nickel CAS Number: 0007440-02-0	Carc. 2;H351 STOT RE 1;H372 Skin Sens. 1;H317 Aquatic Chronic 3;H412	[1] [2]
Manganese compounds (as Mn) CAS Number: 0007439-96-5	Not Classified	[1] [2]
Copper CAS Number: 0007440-50-8	Not Classified	[1] [2]
Molybdenum CAS Number: 0007439-98-7	Not Classified	[1] [2]
Aluminum (Al) CAS Number: 0007429-90-5	Flam. Sol. 1;H228 WaterReact. 2;H261	[1] [2]
Silicon CAS Number: 0007440-21-3	Not Classified	[1] [2]

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



29/12/1999 Issue Date: Last Revision Date: 09/10/2023 Superseded Date: 01/08/2018

**Version Number:** 06 SAFETY DATA SHEET

Product Code: DN18GX1.0LV

PAGE 3 OF 8

Ingredient/Chemical Designations	<b>GHS Classification</b>	Notes
Calcium CAS Number: 0007440-70-2	WaterReact. 2;H261	[1]
Cobalt compounds (as Co) CAS Number: 0007440-48-4	Resp. Sens. 1;H334 Skin Sens. 1;H317 Aquatic Chronic 4;H413	[1] [2]
Polypropylene CAS Number: 9003-07-0	Not Classified	

In accordance with paragraph (i) of \$1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.
- \*The full texts of the phrases are shown in Section 16.

## SECTION 4

### **FIRST AID MEASURES**

#### Symptoms and First Aid Measures

In all cases of doubt, or when symptoms persist, seek attention. Never give anything by mouth to an unconscious **General**:

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. Inhalation:

If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

**Skin Contact:** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the upper and

lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the eyes for an additional

15 minutes. Call a physician at once.

Ingestion: Do not induce vomiting. Get medical attention.

**Medical Attention** 

and Special

Treatment:

**Eye Contact:** 

N/A

### ( SECTION 5 )

### FIRE FIGHTING MEASURES

Suitable

**Extinguishing** Media:

Use extinguishing media that are appropriate for surrounding fire.

**Physicochemical** 

No hazardous decomposition data available.

Hazards:

Avoid breathing dust / fume / gas / mist / vapors / spray.

**Special Protective Equipment and** 

**Precautions for Fire** 

Fighters:

Use standard fire fighting procedures including the use of self-contained breathing apparatus, for fires involving

plastic.

Non flammable at low temperatures, but will burn at high temperatures.

### (SECTION 6)

### **ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions, Protective Equipment and Emergency Procedures:**

Put on appropriate personal protective equipment (see section 8)

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 01/08/2018

SAFETY DATA SHEET

Product Code: DN18GX1.0LV

**Version Number:** 

PAGE 4 OF 8

#### **Environmental Precautions:**

Do not allow spills to enter drains or waterways.
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet.
Promptly remove soiled clothing and wash thoroughly before reuse.

### Methods and Materials for Containment and Cleaning Up:

No special procedures needed.

## (SECTION 7)

## **HANDLING AND STORAGE**

**Precautions for Safe Handling:**Minimize activities which may generate dusts, mists or fumes.
Keep areas well ventilated. Use suitable equipment to move materials.

#### **Conditions for Safe Storage and Incompatibilities**

Store in a secured area away from temperature extremes.

Follow manufacturer's package insert.

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong Acids (such as Sulfuric, Hydrochloric, Nitric).

(SECTION 8)

### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters:**

### **Exposure Standards:**

Cas No.	Ingredient	Source	Value
		OSHA	TWA 15 mg/m³ (total) TWA 5 mg/m³ (resp)
0007429-90-5	Alumainuma (Al)	ACGIH	TWA: 1.0 mg/m <sup>3</sup> Revised 2008,
	Aluminum (Al)	NIOSH	TWA 10 mg/m³ (total) TWA 5 mg/m³ (resp)
		Supplier	No Established Limit
		OSHA	No Established Limit
0007420 00 6	I.v. a	ACGIH	No Established Limit
0007439-89-6   Iron	iron	NIOSH	No Established Limit
		Supplier	No Established Limit
		OSHA	C 5 mg/m <sup>3</sup> *See specific listings for specific compounds.
0007439-96-5 Manganese com (as Mn)	Manganese compounds	ACGIH	TWA: 0.2 mg/m <sup>3</sup> R
		NIOSH	TWA 1 mg/m³ ST 3 mg/m³ *See specific listings for specific compounds.
		Supplier	No Established Limit
		OSHA	TWA 15 mg/m <sup>3</sup> [*Note: The PEL also applies to other insoluble molybdenum compounds (as Mo).]
0007439-98-7	Molybdenum	ACGIH	TWA: 0.5 mg/m³ (soluble) TWA: 3 mg/m³ (insoluble respriable) 10mg/m³ (insoluble inhalable)
		NIOSH	No Established RELs
		Supplier	No Established Limit

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

06

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 01/08/2018

**SAFETY DATA SHEET** 

Product Code: DN18GX1.0LV

**Version Number:** 

PAGE 5 OF 8

0007440-02-0 Nick		OSHA	TWA 1 mg/m <sup>3</sup> [*Note: The PEL does not apply to Nickel carbonyl.]
	Nickel	ACGIH	Insoluble TWA: 0.05 mg/m³ A1, 1, (I) Soluble TWA: 0.05 mg/m3 A1, 1, 2B, (I)
		NIOSH	Ca TWA 0.015 mg/m <sup>3</sup> [*Note: The REL does not apply to Nickel carbonyl.]
		Supplier	No Established Limit
		OSHA	TWA 15 mg/m³ (total) TWA 5 mg/m³ (resp)
	Silicon	ACGIH	No Established Limit
0007440-21-3	Silicon	NIOSH	TWA 10 mg/m³ (total) TWA 5 mg/m³ (resp)
1		Supplier	No Established Limit
0007440-47-3 Chromium compounds (as Cr (III))		OSHA	TWA 1 mg/m³ [*Note: The PEL also applies to insoluble chromium salts.]
		ACGIH	TWA: 0.5 mg/m³ (III)
	(as Cr (III))	NIOSH	TWA 0.5 mg/m³
		Supplier	No Established Limit
		OSHA	TWA 0.1 mg/m <sup>3</sup>
0007440 48 4	Cobalt compounds (as Co)	ACGIH	TWA: 0.02 mg/m <sup>3</sup> 2B
0007440-48-4 Cobalt compounds (a	Cobait compounds (as Co)	NIOSH	TWA 0.05 mg/m <sup>3</sup>
		Supplier	No Established Limit
0007440-50-8 Copper		OSHA	TWA 1 mg/m³ [*Note: The PEL also applies to other copper compounds (as Cu) except copper fume.]
	Conner	ACGIH	TWA: 0.2 mg/m³ (fume) 1 mg/m³ (dusts and mists)
	Соррег	NIOSH	TWA 1 mg/m³ [*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.]
		Supplier	No Established Limit
0007440-70-2 Ca		OSHA	No Established Limit
	Calcium	ACGIH	No Established Limit
	Calcium	NIOSH	No Established Limit
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf\*) TWA, ACGIH 10 mg/m³.

Biological Monitoring: N/A
Personal Protective
Equipment: N/A

**Work Hygienic Practices:** Standard hygienic practices are needed to use this product safely.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 01/08/2018

Version Number: 06

SAFETY DATA SHEET

Product Code: DN18GX1.0LV

PAGE 6 OF 8

### (SECTION 9) PHYSICAL/CHEMICAL PROPERTIES

Appearance: Stainless Steel Needles
Tasteless, Non-Toxic, Non-

Odour: Tasteless, Non-Toxic, Non-Allergenic

pH: Not Measured

Melting Point/Freezing Point (°C): Not Measured

Boiling Point/Boiling Range (°C): Not Measured

Flash Point (°C): Not Measured

Evaporation Rate: Not Measured

Flammability: Not Measured

Upper/Lower Flammability or Explosive Limits:

Vapour Pressure:

Not Measured

Not Measured

Not Measured

Not Measured

Not Measured

Insoluble

Partition Coefficient (n-octanol/water):

Auto-ignition Temperature (°C):

Not Measured

Not Measured

Not Measured

## (SECTION 10) STABILITY AND REACTIVITY

**Chemical Stability:** Stable

Possibility of Hazardous Reactions: Hazardous Polymerization will not occur

Conditions to Avoid: N/A

**Incompatible Materials:** None known

**Hazardous Decomposition** 

Products:

Carbon dioxide and carbon monoxide may form when subjected to extreme heat

### (SECTION 11) TOXICOLOGICAL INFORMATION

No adverse health effects are known or anticipated from contact with these products

### ( SECTION 12 ) ECOLOGICAL INFORMATION

**Toxicity:** Toxic to aquatic life

**Aquatic Ecotoxicity** 

Aquatic Ecotoxicity			
Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Iron - (7439-89-6)	Not Available	Not Available	Not Available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 01/08/2018

Superseded Date: 01/08/201 Version Number: 06 SAFETY DATA SHEET

Product Code: DN18GX1.0LV

PAGE 7 OF 8

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Iron - (7439-89-6)	Not Available	Not Available	Not Available
Chromium compounds (as Cr (III)) - (7440-47-3)	77.50, Pimephales promelas	1.20, Daphnia magna	580.00 (72 hr), Chlorella pyrenoidosa
Nickel - (7440-02-0)	Not Available	Not Available	Not Available
Manganese compounds (as Mn) - (7439-96-5)	40.00, Daphnia magna	Not Available	Not Available
Copper - (7440-50-8)	0.0103, Pimephales promelas	0.0025, Daphnia magna	0.018 (72 hr), Pseudokirchneriella subcapitata
Molybdenum - (7439-98-7)	Not Available	Not Available	Not Available
Aluminum (Al) - (7429-90-5)	Not Available	Not Available	Not Available
Silicon - (7440-21-3)	Not Available	Not Available	Not Available
Calcium - (7440-70-2)	Not Available	Not Available	Not Available
Cobalt compounds (as Co) - (7440-48-4)	100.00, Danio rerio	Not Available	0.05 (72 hr), Pseudokirchneriella subcapitata

**Persistence and degradability:** There is no data available on the preparation itself.

**Bioaccumulative potential:** Not Measured **Mobility in soil:** No data available.

**Results of PBT and vPvB assessment** This product contains no PBT/vPvB chemicals.

Other adverse effects: No data available.

### SECTION 13 DISPOSAL CONSIDERATIONS

### **Disposal Methods:**

As a specialized medical waste

This product is disposable products. Prohibited to use, destroyed after use. This product is sterilized by ethylene oxide and must be used within the time of failure. Single package damage, sheath off, prohibited use. And for scrapping contaminated syringes must be disposed of according to the nature of the contaminate. Check current local state and federal regulations for proper disposal methods

### SECTION 14 TRANSPORT INFORMATION

**UN Number:** N/A **Proper Shipping /Technical Name:** N/A Transport Hazard Class(es): N/A **Packing Group:** N/A **Environmental Hazards for Trans-**N/A port Purposes: **Special Precautions for User:** N/A **Additional Information:** N/A **Hazchem/Emergency Action Code:** N/A

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999 Last Revision Date: 09/10/2023 Superseded Date: 01/08/2018

## SAFETY DATA SHEET

Product Code: DN18GX1.0LV

**Version Number:** 

PAGE 8 OF 8

(SECTION 15)

**REGULATORY INFORMATION** 

Safety, Health and Environmental Regulation:

N/A

(SECTION 16)

**OTHER INFORMATION** 

Reason for revision: To bring to date

**END OF SDS**