Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 14/10/2021

SAFETY DATA SHEET

Product Code: DN19GX1.0LV

PAGE 1 OF 8

SECTION 1 PRODUCT IDENTIFICATION

Product Name: Livingstone Hypodermic Needle

Other Means of Identification: No Available Information

Recommended Uses and Restriction on Use:

- Mainly used for liquid injection or extraction
- · Used for syringe

Version Number:

 This product is only suitable for subcutaneous or intramuscular injection and intravenous blood tests, used by medical staff, prohibited for other purposes and non-medical staff

SECTION 2

HAZARD IDENTIFICATION

Hazard Classification

Acute Tox. 5;H303 May be harmful if swallowed. (Not adopted by US OSHA)

Eye Irrit. 2;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.

Resp. Sens. 1;H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled.

Carc. 2;H351 Suspected of causing cancer.

STOT RE 1;H372 Causes damage to

Label Elements and Precautionary Statements

Pictogram

Prevention:



Exclamation Mark



Health Hazard

Signal Word: DANGER

H303 May be harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection. P285 In case of inadequate ventilation wear respiratory protection.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 14/10/2021

SAFETY DATA SHEET

Product Code: DN19GX1.0LV

Version Number:

PAGE 2 OF 8

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell.

Response: P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P341 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents / container in accordance with local / national regulations.

ി

COMPOSITION/INFORMATION ON INGREDIENTS

Made by Stainless Steel, Polypropylene

Ingredient/Chemical Designations	CAS Number	GHS Classification	Notes
Iron	0007439-89-6	Not Classified	[1]
Chromium compounds (as Cr (III))	0007440-47-3	Skin Sens. 1;H317 Resp. Sens. 1;H334 Eye Irrit. 2;H319 Aquatic Chronic 4;H413	[1] [2]
Nickel	0007440-02-0	Carc. 2;H351 STOT RE 1;H372 Skin Sens. 1;H317 Aquatic Chronic 3;H412	[1] [2]
Manganese compounds (as Mn)	0007439-96-5	Not Classified	[1] [2]
Copper	0007440-50-8	Not Classified	[1] [2]
Molybdenum	0007439-98-7	Not Classified	[1] [2]
Aluminum (Al)	0007429-90-5	Flam. Sol. 1;H228 WaterReact. 2;H261	[1] [2]
Silicon	0007440-21-3	Not Classified	[1] [2]
Calcium	0007440-70-2	WaterReact. 2;H261 [1]	
Cobalt compounds (as Co)	0007440-48-4	Resp. Sens. 1;H334 Skin Sens. 1;H317 Aquatic Chronic 4;H413	[1] [2]
Polypropylene	003-07-0	Not Classified	

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



29/12/1999 Issue Date: Last Revision Date: 09/10/2023 Superseded Date: 14/10/2021

Version Number: 07 SAFETY DATA SHEET

Product Code: DN19GX1.0LV

PAGE 3 OF 8

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.
- *The full texts of the phrases are shown in Section 16.

SECTION 4 **FIRST AID MEASURES**

Symptoms and First Aid Measures

In all cases of doubt, or when symptoms persist, seek attention. Never give anything by mouth to an **General:**

unconscious person.

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial Inhalation:

respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give

nothing by mouth.

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin **Skin Contact:**

cleanser.

Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the **Eye Contact:**

upper and lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the

eyes for an additional 15 minutes. Call a physician at once.

Ingestion: Do not induce vomiting. Get medical attention.

Medical Attention and Special

Treatment:

N/A

FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing media that are appropriate for surrounding fire.

No hazardous decomposition data available. **Physicochemical Hazards:**

Avoid breathing dust / fume / gas / mist / vapors / spray.

Special Protective Equipment and Precautions for Fire

Fighters:

Use standard fire fighting procedures including the use of self-contained breathing apparatus, for fires

involving plastic. Non flammable at low temperatures, but will burn at high temperatures.

SECTION 6 **ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures:

Put on appropriate personal protective equipment (see section 8)

Environmental Precautions:

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet.

Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and Materials for Containment and Cleaning Up:

No special procedures needed.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 14/10/2021

Superseded Date: 14/10/202 Version Number: 07 SAFETY DATA SHEET

Product Code: DN19GX1.0LV

PAGE 4 OF 8

SECTION 7

HANDLING AND STORAGE

Precautions for Safe Handling:

Minimize activities which may generate dusts, mists or fumes.

Keep areas well ventilated. Use suitable equipment to move materials.

Conditions for Safe Storage and Incompatibilities

Store in a secured area away from temperature extremes.

Follow manufacturer's package insert.

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong Acids (such as Sulfuric, Hydrochloric, Nitric).

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

Exposure Standards:

CAS No.	Ingredient	Source	Value	
0007429-90-5	Aluminum (Al)	OSHA	TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)	
		ACGIH	TWA: 1.o mg/m3 Revised 2008,	
		NIOSH	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)	
		Supplier	No Established Limit	
		OSHA	No Established Limit	
0007439-89-6		ACGIH	No Established Limit	
	Iron	NIOSH	No Established Limit	
		Supplier	No Established Limit	
0007439-96-5	Manganese compounds (as Mn)	OSHA	C 5 mg/m3 *See specific listings for specific compounds.	
		ACGIH	TWA: 0.2 mg/m3 R	
		NIOSH	TWA 1 mg/m3 ST 3 mg/m3 *See specific listings for specific compounds.	
		Supplier	No Established Limit	
0007439-98-7	Molybdenum	OSHA	TWA 15 mg/m3 [*Note: The PEL also applies to other insoluble molybdenum compounds (as Mo).]	
		ACGIH	TWA: 0.5 mg/m3 (soluble) TWA: 3 mg/m3 (insoluble respriable) 10mg/m3 (insoluble inhalable)	
		NIOSH	No Established RELs	
		Supplier	No Established Limit	

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 14/10/2021

Version Number: 07

SAFETY DATA SHEET

Product Code: DN19GX1.0LV PAGE 5 OF 8

0007440-02-0		OSHA	TWA 1 mg/m3 [*Note: The PEL does not apply to Nickel carbonyl.]	
	Nickel	ACGIH	Insoluble TWA: 0.05 mg/m3 A1, 1, (I) Soluble TWA: 0.05 mg/m3 A1, 1, 2B, (I)	
		NIOSH	Ca TWA 0.015 mg/m3 [*Note: The REL does not apply to Nickel carbonyl.]	
		Supplier	No Established Limit	
		OSHA	TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)	
0007440-21-3	C'Il a care	ACGIH	No Established Limit	
	Silicon	NIOSH	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)	
		Supplier	No Established Limit	
0007440-47-3 co	Chromium	OSHA	TWA 1 mg/m3 [*Note: The PEL also applies to insoluble chromium salts.]	
	compounds	ACGIH	TWA: 0.5 mg/m3 (III)	
	(as Cr (III))	NIOSH	TWA 0.5 mg/m3	
		Supplier	No Established Limit	
		OSHA	TWA 0.1 mg/m3	
	Cobalt	ACGIH	TWA: 0.02 mg/m3 2B	
0007440-48-4	compounds (as Co)	NIOSH	TWA 0.05 mg/m3	
		Supplier	No Established Limit	
0007440-50-8		OSHA	TWA 1 mg/m3 [*Note: The PEL also applies to other copper compounds (as Cu) except copper fume.]	
	Connor	ACGIH	TWA: 0.2 mg/m3 (fume) 1 mg/m3 (dusts and mists)	
	Copper	NIOSH	TWA 1 mg/m3 [*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.]	
		Supplier	No Established Limit	
0007440-70-2		OSHA	No Established Limit	
	Calcium	ACGIH	No Established Limit	
		NIOSH	No Established Limit	
		Supplier	No Established Limit	

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf*) TWA, ACGIH 10 mg/m3.

Biological Monitoring: N/A **Personal Protective Equipment**: N/A

Work Hygienic Practices: Standard hygienic practices are needed to use this product safely.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 14/10/2021

SAFETY DATA SHEET

Product Code: DN19GX1.0LV

Version Number:

PAGE 6 OF 8

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

Appearance: Stainless Steel Needles

Odour: Tasteless, Non-Toxic, Non-Allergenic

pH: Not Measured

Melting Point/Freezing Point (°C): Not Measured

Boiling Point/Boiling Range (°C): Not Measured

Flash Point (°C): Not Measured

Evaporation Rate: Not Measured

Flammability: Not Measured

Upper/Lower Flammability or

Explosive Limits:

Not Measured

Vapour Pressure:

Vapour Density (g/ml):

Not Measured

Not Measured

Insoluble

Partition Coefficient (n-octanol/water):

Not Measured

Auto-ignition Temperature (°C): Not Measured Decomposition Temperature (°C): Not Measured

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Stable

Possibility of Hazardous

Reactions:

Hazardous Polymerization will not occur

Conditions to Avoid: N/A

Incompatible Materials: None known

Hazardous Decomposition

Products:

Carbon dioxide and carbon monoxide may form when subjected to extreme heat

SECTION 11 TOXICOLOGICAL INFORMATION

No adverse health effects are known or anticipated from contact with these products

SECTION 12 ECOLOGICAL INFORMATION

Toxicity: Toxic to aquatic life

Aquatic Ecotoxicity

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

07

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



Issue Date: 29/12/1999 Last Revision Date: 09/10/2023 Superseded Date: 14/10/2021

SAFETY DATA SHEET

Product Code: DN19GX1.0LV

Version Number:

PAGE 7 OF 8

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Iron - (7439-89-6)	Not Available	Not Available	Not Available
Iron - (7439-89-6)	Not Available	Not Available	Not Available
Chromium compounds (as Cr (III)) - (7440-47-3)	77.50, Pimephales promelas	1.20, Daphnia magna	580.00 (72 hr), Chlorella pyrenoidosa
Nickel - (7440-02-0)	Not Available	Not Available	Not Available
Manganese compounds (as Mn) - (7439-96-5)	40.00, Daphnia magna	Not Available	Not Available
Copper - (7440-50-8)	0.0103, Pimephales promelas	0.0025, Daphnia magna	0.018 (72 hr), Pseudokirchneriella subcapitata
Molybdenum - (7439-98-7)	Not Available	Not Available	Not Available
Aluminum (Al) - (7429-90-5)	Not Available	Not Available	Not Available
Silicon - (7440-21-3)	Not Available	Not Available	Not Available
Calcium - (7440-70-2)	Not Available	Not Available	Not Available
Cobalt compounds (as Co) - (7440-48-4)	100.00, Danio rerio	Not Available	0.05 (72 hr), Pseudokirchneriella subcapitata

Persistence and degradability: There is no data available on the preparation itself.

Not Measured **Bioaccumulative potential:** Mobility in soil: No data available.

Results of PBT and vPvB

assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects: No data available.

DISPOSAL CONSIDERATIONS

As a specialized medical waste

This product is disposable products. Prohibited to use, destroyed after use. This product is sterilized **Disposal Methods:** by ethylene oxide and must be used within the time of failure. Single package damage, sheath off, prohibited use. And for scrapping contaminated syringes must be disposed of according to the nature of

the contaminate. Check current local state and federal regulations for proper disposal methods

(SECTION 14) TRANSPORT INFORMATION

UN Number: N/A

Proper Shipping /Technical Name:

N/A

Transport Hazard Class(es): N/A

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 29/12/1999
Last Revision Date: 09/10/2023
Superseded Date: 14/10/2021

SAFETY DATA SHEET

Product Code: DN19GX1.0LV

Version Number:

PAGE 8 OF 8

Packing Group: N/A

Environmental Hazards for Transport Purposes:

N/A

Special Precautions for User:

N/A

Additional Information:

N/A

Hazchem/Emergency Action

Code:

N/A

SECTION 15

REGULATORY INFORMATION

Safety, Health and Environmental Regulation

N/A

SECTION 16

OTHER INFORMATION

Reason for Revision:

To bring to date.

END OF SDS