Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



20/02/2002 Issue Date: Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Product Code: DS200MTEL

SAFETY DATA SHEET

Version Number:

PAGE 1 OF 9

SECTION 1

PRODUCT IDENTIFICATION

Product Name: Livingstone Bulb Irrigation Asepto Syringe

Recommended Use A medical device that is used to inject fluid into, or withdraw fluid from, the body.

HAZARD IDENTIFICATION

Barrel Part of Syringe

No data available. This material is not classified as hazardous under the Article 39 Paragraph 1 of the **GHS Classification**

Industrial Safety and Health Act (ISHA). It is not regulated for the SDS creation and labeling by the provision

of Article 41 Paragraph 1 of the ISHA.

This material is not classified as hazardous under the Article 39 Paragraph 1 of the Industrial Safety **GHS Label Element**

and Health Act (ISHA). It is not regulated for the SDS creation and labeling by the provision of Article 41

Paragraph 1 of the ISHA.

Other hazards which do not result in classification

No information available.

Plunger Part of Syringe

Hazard Classification None

GHS Label Elements

Symbols Non needed according to GHS classification criteria. **Signal Word** Non needed according to GHS classification criteria. **Hazard Statements** Non needed according to GHS classification criteria.

Other hazards which do not result in classification

NFPA Health = 1, Flammability = 1, Reactivity = 0

COMPOSITION/INFORMATION ON INGREDIENTS

Barrel Part of Syringe

Chemical Name	Common Name	CAS-No.
Polypropylene	Polypropylene	9003-07-0

Plunger Part of Syringe

Chemical Name	Common Name	CAS-No.
Polypropylene	1-Propene, Homopolymer	9003-07-0
Additives	-	-

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Version Number: 06

Product Code: DS200MTEL

SAFETY DATA SHEET

PAGE 2 OF 9

SECTION 4

FIRST AID MEASURES

Barrel Part of Syringe

General Advice No hazards which require special first aid measures.

• Flush eyes with water as a precaution.

In case of eye contact

• Remove contact lenses.

• Protect unharmed eye.

Keep eye wide open while rinsing.

• Take off contaminated clothing and shoes immediately.

• Wash off with soap and plenty of water.

• Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

• If symptoms persist, call a physician.

• Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

None known.

If swallowed

If swallowed

Protection of first-aidersNo data availableNotes to physicianNo data available

Plunger Part of Syringe

• Flush eyes thoroughly with water if irritation occurs.

• Seek medical advice.

• Remove contaminated clothes, rinse skin with plenty of water.

• Seek medical advice.

• Remove from exposure to fresh air immediately.

• If not breathing, give artificial respiration, refer to medical attention immediately.

• Never give anything by mouth to an unconscious person.

• Seek medical advice immediately.

Notes to physician Treat symptomatically and supportively.

SECTION 5 FIRE FIGHTING MEASURES

Barrel Part of Syringe

Suitable and Unsuitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No data available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



20/02/2002 Issue Date: Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Version Number:

Product Code: DS200MTEL

SAFETY DATA SHEET

PAGE 3 OF 9

Specific Hazards During Firefighting

Hazardous Combustion Products No data available

Specific Extinguishing Methods Standard procedure for chemical fires

Special Protective Equipment for Firefighters

In the event of fire, wear self-contained breathing apparatus.

Plunger Part of Syringe

Suitable Extinguish Media Use water fog, foam, dry chemical or CO2

Specific Hazards Arising from the Chemical

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for fire-fighters

- Use proper personal protective equipment.
- Wear self contained breathing apparatus for fire fighting if necessary.
- Keep people away. Isolate fire and deny unnecessary entry.
- Cool surroundings with water to localize fire zone.

ACCIDENTAL RELEASE MEASURES

Barrel Part of Syringe

Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Environmental Precautions No special environmental precautions required.

Methods and materials for containment and cleaning up

- Sweep up and shovel.
- · Keep in suitable, closed containers for disposal.

Plunger Part of Syringe

Personal Protection and Protective Equipment

Isolate the hazard area. Use appropriate safety equipment.

Environmental Precautions Do not allow material to contaminate ground water system. Clean-up and Removal Method Sweep up then place into a suitable container for disposal.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Superseded Date: 26/02/201 Version Number: 06 SAFETY DATA SHEET

Product Code: DS200MTEL

PAGE 4 OF 9

SECTION 7

HANDLING AND STORAGE

Barrel Part of Syringe

Advice on Safe Handling

For personal protection see section 8. No special handling advice required.

Conditions for Safe Storage Keep container tightly closed in a dry and wellventilated

Materials to Avoid No special restrictions on storage with other products.

Recommended Storage

Temperature No data available

Storage PeriodNo data availablePackaging MaterialNo data available

Plunger Part of Syringe

Precautions for Safe Handling Conditions for Safe Storage

Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation

Store in a cool, dry well-ventilated area. Keep container closed when not in use.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Barrel Part of Syringe

Compontents with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering Measures No data available

Personal Protective Equipment

Respiratory Protection No personal respiratory protective equipment normally required.

Eye Protection Safety glasses

Hand Protection Remarks For prolonged or repeated contact use protective gloves.

Skin and Body Protection Protective suit

Hygiene Measures General industrial hygiene practice.

Plunger Part of Syringe

Exposure limits of the chemical substance, biological exposure limits and etc

Not applicable

Appropriate Engineering Controls Charlette re

Ventilation; Good general ventilation should be sufficient for most conditions. Check the recommended threshold exposure limits.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Version Number:

SAFETY DATA SHEET

Product Code: DS200MTEL

PAGE 5 OF 9

Personal Protective Equipment

Use an approved air-purifying respirator when vapours are generated at increased temperatures or **Respiratory Protection**

when dust is present.

Eye Protection Wear safety glasses and chemical goggles.

Hand Protection Wear gloves with insulation for thermal protection.

Body Protection Wear approved chemical protective clothes.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Barrel Part of Syringe

Solid form **Appearance Melting Point/Range** 160°C

Upper/Lower Explosion Limit Solubility(ies)

Water Solubility Insoluble Density 0.9 g/cm3 **Auto-Ignition Temperature** 330°C

Plunger Part of Syringe

Appearance Solid(translucent to white pellet or powder).

Odour Odourless. **Odour Threshold** Not available. рΗ Not applicable. **Melting Point/Freezing Point** 120 ~ 170°C **Initial Boiling Point and Range** Not available. Flash Point Not available. **Evaporation Rate** Not applicable. Flammability(solid, gas) Not available. Upper/Lower Flammable or

Not applicable. **Explosive Limits**

Vapour Pressure Not applicable. Solubility Insoluble in water. Vapour Density Not applicable. Specific Gravity (H2O=1) $0.89 \sim 0.91$

Partition Coefficient Not applicable. (n-octanol/water)

Auto-Ignition Temperature > 350°C

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

SAFETY DATA SHEET

Product Code: DS200MTEL

Version Number:

PAGE 6 OF 9

Decomposition TemperatureNot applicable.ViscosityNot applicable.Molecular Weight> 10,000

SECTION 10 STABILITY AND REACTIVITY

Barrel Part of Syringe

Chemical stability and possibility of hazardous reactions

- Stable under recommended storage conditions.
- · No decomposition if stored and applied as directed.
- No hazards to be specially mentioned.

Conditions to Avoid No data available
Incompatible Materials No data available

Hazardous Decomposition

Products

No data available

Plunger Part of Syringe

Chemical Stability Stable under normal temperature and pressure.

Conditions to Avoid Keep away from heat, sparks and flame.

Materials to avoid Strong oxidizing agents

Hazardous Decomposition

Products

Irritating and toxic fumes and gases, unidentified organic compounds.

(SECTION 11) TOXICOLOGICAL INFORMATION

Barrel Part of Syringe

Information On Likely Routes Of

Exposure

No data available

Health Hazard Information

Acute Toxicity No data available

Skin Corrosion/IrritationAccording to the classification criteria of the European Union, the product is not considered as being a

skin irritant.

Serious Eye Damage/Irritation According to the classification criteria of the European Union, the product is not considered as being an

eye irritant.

Respiratory Skin SensitisationNo data availableReproductive ToxicityNo data availableGerm Cell MutagencityNo data availableCarcinogenicityNo data available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Version Number: 06

SAFETY DATA SHEET

Product Code: DS200MTEL

PAGE 7 OF 9

STOT - Single ExposureNo data availableAspiration ToxicityNo data availableSTOT - Repeated ExposureNo data availableFurther InformationNo data available

Plunger Part of Syringe

Information on the likely routes of exposure

Dust inhalation maybe cause cough.

Delayed and immediate effects and also chronic effects from short or long term exposure

Acute Toxicity - LD50 > 8000 mg/kg(rat)

Skin Corrosion/Irritation **Skin Sensitization** Not available. Not available. Not available. Carcinogenicity Not listed in IARC. Serious Eye Damage/Irritation **Reproductive Toxicity** Not available. **Respiratory Sensitization** Not available. **Germ Cell Mutagenicity** Not listed in IARC. **Aspiration Hazard** Not available.

Specific target organ systemic toxicity(single exposure)

Not available.

Specific target organ systemic toxicity(repeated exposure)

Not available.

SECTION 12

ECOLOGICAL INFORMATION

Barrel Part of Syringe

EcotoxicityNo data availableMobility in SoilNo data availablePersistence and DegradabilityNo data availableOther Adverse EffectsNo data available

Bioaccumulative Potential No data available

Additional Ecological There is no data available for this product.

Plunger Part of Syringe

EcotoxicityNo data availableMobility in SoilNo data availablePersistence and DegradabilityNo data availableOther Adverse EffectsNo data available

Bioaccumulative Potential No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Barrel Part of Syringe

Disposal Methods

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

Version Number: 06

SAFETY DATA SHEET

Product Code: DS200MTEL

PAGE 8 OF 9

Waste From Residues Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated Packaging

Empty remaining contents. Empty containers should be taken to an approved waste handling site for

recycling or disposal

Disposal Precautions Dispose of in accordance with local regulations.

Plunger Part of Syringe

Disposal Methods

All disposal practices must be in compliance with all applicable federal, state and/or local laws and

regulations.

Disposal Precautions Dispose of waste in accordance with local regulations.

SECTION 14 TRANSPORT INFORMATION

Barrel Part of Syringe

International Regulation

UNRTG Not regulated as a dangerous good

IATA-DGRNot regulated as a dangerous goodIMDG-CodeNot regulated as a dangerous good

UN Number Not applicable **Packing Group** Not applicable **Proper Shipping Name** Not applicable Labels Not applicable Class Not applicable **EmS Code Marine** Not applicable **Subsidiary Risk** Not applicable **Pollutant** Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations Refer to section 15 for specific national regulation.

Special Precautions for the User Not classified as dangerous in the meaning of transport regulations

Plunger Part of Syringe

UN NumberNot applicablePacking GroupNot applicableProper Shipping NameNot applicableMarine PollutantNot applicableSpecial Precautions for the UserNot applicableClassNot applicable

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 20/02/2002 Last Revision Date: 19/01/2024 Superseded Date: 26/02/2019

SAFETY DATA SHEET

Product Code: DS200MTEL

Version Number:

PAGE 9 OF 9

SECTION 15) R

REGULATORY INFORMATION

Barrel Part of Syringe

National Regulatory Information

Industrial Safety and Health Act

Harmful Substances Prohibited from Manufacturing
Not relevant
Harmful Substances Required Permission for Manufacture
Controlled Hazardous Substances Not relevant
Contolled Substances Subject to Environment Monitoring
Contolled Substances Subject to Health Examination
Not relevant

Toxic Chemicals Control Act

Observational ChemicalsNot relevantToxic ChemicalsNot relevantToxic Release InventoryNot relevantRestricted ChemicalsNot relevantAccident Precaution ChemicalsNot relevantProhibited ChemicalsNot relevant

Dangerous Substances Safety

Management Act

Not Applicable to Dangerous Materials

Wastes Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries

No data available

Plunger Part of Syringe

KoreaNot regulated.US-OSHANot regulated.US-CERCLANot regulated.

(SECTION 16)

OTHER INFORMATION

Sources of Reference Materials

Globally Harmonized System of classification and labeling of chemicals(GHS), First revised edition, United Nations. IARC(International Agency for Research on Cancer)

Nations. Wire(international / geney for Research of

Reason for Revision To bring to date

END OF SDS