

Issue Date: 09/03/2021  
Last Revision Date: 08/05/2024  
Superseded Date: 24/03/2022  
Version Number: 03

## SAFETY DATA SHEET

Product Code: LABCTM12

PAGE 1 OF 4

### SECTION 1 PRODUCT IDENTIFICATION

Product Name: Liv Laboratory Coat

### SECTION 2 HAZARD IDENTIFICATION

No particular hazards known.

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

100% Cotton

### SECTION 4 FIRST AID MEASURES

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

Note to physician:

Treatment: Treat according to symptoms (decontamination vital functions), no known specific antidote.

### SECTION 5 FIRE FIGHTING MEASURES

Suitable extinguishing media:

water spray, dry extinguishing media, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Specific hazards:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Issue Date: 09/03/2021  
Last Revision Date: 08/05/2024  
Superseded Date: 24/03/2022  
Version Number: 03

## SAFETY DATA SHEET

Product Code: LABCTM12

PAGE 2 OF 4

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal precautions:

Avoid dust formation. Use personal protective clothing.

#### Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### Methods for cleaning up or taking up:

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

Avoid raising dust.

### SECTION 7 HANDLING AND STORAGE

#### Handling

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges.

#### Storage

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

### SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Personal protective equipment

##### Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter EN 143

Type P2, medium efficiency, (solid and liquid particles of harmful substances).

##### Hand protection:

Chemical resistant protective gloves (EN 374)

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Manufacturer's directions for use should be observed because of great diversity of types.

##### Eye protection:

Safety glasses with side-shields (frame goggles) (EN 166)

##### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the coloring properties of the product closed work clothes should be used, to avoid stains during manipulation.

### SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

Odour: odourless

Melting point: > 200 °C

Explosion hazard: not explosive

Density: 2,14 g/cm<sup>3</sup>

(20 °C)

Bulk density: approx. 400 kg/m<sup>3</sup>

Solubility in water: insoluble

Solubility (quantitative) : 0,07 mg/l

Issue Date: 09/03/2021  
Last Revision Date: 08/05/2024  
Superseded Date: 24/03/2022  
Version Number: 03

# SAFETY DATA SHEET

**Product Code: LABCTM12****PAGE 3 OF 4**

## SECTION 10 STABILITY AND REACTIVITY

Conditions to avoid:

Avoid humidity.

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11 TOXICOLOGICAL INFORMATION

LD50/oral/rat: > 5.000 mg/kg

by inhalation:

No mortality was observed.

Primary skin irritation/rabbit: non-irritant (Draize test)

Primary irritations of the mucous membrane/rabbit: non-irritant (Draize test)

## SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity

Toxicity to fish:

Oncorhynchus mykiss/LC50 (96 h): 100 - 500 mg/l

Lepomis macrochirus/LC50 (96 h): > 500 mg/l

Microorganisms/Effect on activated sludge:

DIN 38412 Part 27 (draft)

EC10: > 10.000 mg/l

Persistence and degradability

Elimination information

Evaluation: Well eliminable from water by adsorption on activated sludge.

Assessment: The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

Other adverse effects

Adsorbable organically-bound halogen (AOX): approx. 50%

The product contains according to the formulation, organically bound halogen. It can increase the AOX-value in the water purification plants overflow or if it reaches waters.

Additional information

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

## SECTION 13 DISPOSAL CONSIDERATIONS

Must be dumped or incinerated in accordance with local regulations.

Contaminated packaging:

Untampered packs can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

Issue Date: 09/03/2021  
Last Revision Date: 08/05/2024  
Superseded Date: 24/03/2022  
Version Number: 03

## SAFETY DATA SHEET

Product Code: LABCTM12

PAGE 4 OF 4

### SECTION 14 TRANSPORT INFORMATION

Not classified as hazardous under transport regulations.

### SECTION 15 REGULATORY INFORMATION

The product does not require a hazard warning label in accordance with EC Directives.

### SECTION 16 OTHER INFORMATION

Vertical lines in the left hand margin indicate an amendment from the previous version.  
The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations.

Reason for Revision: To bring to date

## END OF SDS