

IVINGSTONE INTERNATIONAL P1

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA

Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

29/09/2011 Issue Date: **Revision Date:** 13/09/2018 Supersedes Date: 05/06/2015

Version Number: 02

SAFETY DATA SHEET

Product Code: LIVCTN500

PAGE 1 OF 6

SECTION 1

PRODUCT IDENTIFICATION

Product Name: Food Container Base

HAZARD IDENTIFICATION

This material is not classified as hazardous material according to UN GHS criteria.

GHS classification

Physical: No classification

H312: Harmful if in contact with skin (molten plastic)

H335: May cause respiratory irritation (fume) Health:

Environmental: No classification

GHS label elements

Pictograms:



Exclamation Mark

Signal word: Warning

- Molten plastic can cause severe thermal burn if contacted with skin

Hazard statement: - Fume released during high temperature processing may cause respiratory irritation

- Dust from the product may form combustible dust concentrations in air duringprocessing or handling

- Wear suitable and proper personal protective equipment (PPE) when necessary **Precautionary statement:** - In case if inhalation of fumes, quickly move to open area with fresh airavailable

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Not a hazardous substance according to EC directives 1272/2008/EC and Globally Harmonized System of Classification and Labeling of Chemicals (GHS) unless indicated.

Chemical Name	CAS#
Propylene homopolymer	9003 - 07 - 0
Additives	-

NOTE: The product may contain varying levels of additives such as antioxidants and stabilizers.

SECTION 4

FIRST AID MEASURES

Description of first aid measures



LIVINGSTONE INTERNATIONAL PTY LTD

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

ABIN: 66 U32 UUT 144



Eye contact

Skin contact

Inhalation

Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444

NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 29/09/2011 Revision Date: 13/09/2018 Supersedes Date: 05/06/2015

Version Number: 02

SAFETY DATA SHEET

PAGE 2 OF 6

Product Code: LIVCTN500

If this product comes in contact with eyes;

Wash out immediately with water

If irritation persist, seek medical attention

In case of contact with molten resin:

Immediately apply cold water until cooled.

DO NOT attempt to remove the molten resin from the skin.

DO NOT pull away clothing which has adhered to theskin as this can cause further injury.

· Get immediate medical attention.

• In case of accidental inhalation of fumes fromoverheating or combustion quickly move to openarea

with fresh air available.

• If symptoms persist, please call doctor.

Ingestion • First aid is not generally required. If in doubt, seekthe advice from medical personnel.

SECTION 5

FIRE FIGHTING MEASURES

Flash point Estimated > 329 °C (624.2 °F) 5.2

Extinguishing media

Appropriate extinguishing media such as foam, dry chemical powder and carbon dioxide (CO₂) or water

spray to extinguish flames.

Inappropriate extinguishing

media

Do not use solid water stream as it may scatter and spread fire.

Special hazards arising from the

chemical fire hazard

May be combustible at high temperature.
 May form combustible dust concentrations in air.

- Vapors generated from overheating/melting/decomposition may be flammable and may cause fire/

explosionif source of ignition is present.

Advice for firefighters

Protective equipment Wear self-contained breathing apparatus, protective fire fighting clothes and protective gloves.

Special firefighting procedures Standard procedures for class A fires

Unusual fire / explosion hazard None

Stability consideration Stable

Carbon oxides (CO, CO2)

Hazardous decomposition products in case of fire

AldehydesKetones

Hydrocarbons

Dense black smoke and soot

SECTION 6

ACCIDENTAL RELEASE MEASURES

Spill and leak

• Sweep up spilled material for use or disposal.

· Good housekeeping must be maintained to avoidpotential slippery hazard

Environmental precautions Prevent from entering drains or sewers



LIVINGSTONE INTERNATIONAL PT

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984



Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

29/09/2011 Issue Date: **Revision Date:** 13/09/2018 Supersedes Date: 05/06/2015

Version Number: 02

Product Code: LIVCTN500

SAFETY DATA SHEET

PAGE 3 OF 6

HANDLING AND STORAGE

• Handle in accordance with proper safety practices.

• Ensure good ventilation / exhaustion at theworkplace

Any unavoidable deposit of dust must be regularlyremoved.

• Keep away from sparks and open fire.

• Electrostatic charge may build up during handlinghence the equipment should be grounded andbonded.

Keep in dry conditions at temperatures below 60°C(140°F) and protected from UV light. Storage

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Handling

Exposure limits None establish.

 Provide adequate ventilation **Engineering controls**

Extruder should be properly vented

Exposure controls

Personal protective equipment









Eye / face protection

Use safety glasses / goggles

Skin and body protection

Wear suitable protecting clothes with long sleeved is recommended

Hand protection

Wear heat resistance protective gloves when necessary.

Respiratory protection

Normally no respiratory protection is required. In case of insufficient ventilation wear suitable respiratory equipment.

Hygiene measures

Always maintain good personal hygiene practice such as wash hand after handling the material and before eating, drinking or smoking

SECTION 9

PHYSICAL/CHEMICAL PROPERTIES

Appearance

Form **Pellets Physical state** Solid

Color Translucent to white Odor Mild to no odor

Safety data

Flash point > 329°C (624.2°F) estimated

Lower explosion limit Not applicable



LIVINGSTONE INTERNATIONAL PTY LTD

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

ABIN: 66 052 001 144



Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444

NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 29/09/2011 Revision Date: 13/09/2018 Supersedes Date: 05/06/2015

Supersedes Date: 05/06/201 Version Number: 02

Product Code: LIVCTN500

SAFETY DATA SHEET

PAGE 4 OF 6

Upper explosion limit Not applicable

Auto-ignition temperature > 357 °C (674.6 °F) estimated

Boiling pointNot applicableFreezing pointNot applicableVapor pressure @ 20°C (68°F)Not applicableVapor densityNot applicable

% volatile (vol.) < 0.4

Melting point > 160°C (320°F) Solubility in water Negligible Specific gravity 0.88 to 0.92 рΗ Not applicable **Evaporation rate** Not applicable **Kinematic viscosity** Not applicable **Explosive properties** Not applicable **Oxidizing properties** Not applicable

SECTION 10 STABILITY AND REACTIVITY

Reactivity No dangerous reaction under normal condition

Stability Stable

Conditions to avoid Temperatures above 357 °C (674.6 °F)

Open flame

Materials to avoid Strong oxidizing agents

Decomposition productsCarbon dioxide, carbon monoxide and organic vapors

Hazardous polymerization Will not occur

SECTION 11 TOXICOLOGICAL INFORMATION

Toxicity to animal (Rat), LD50 Not applicable

Toxicity to animal (Rat), LC50 Not applicable

Skin irritation No skin irritation

Eye irritation No eye irritation

Inhalation Presumed not toxicity

Ingestion Presumed not toxicity

Sensitization Not expected to be a sensitizer

Classified NONE by NTP and OSHA

Carcinogenicity Group 3 (not classifiable for human) by IARC

Group's (not classifiable for fluffiati) by IAAA



LIVINGSTONE INTERNATIONAL PTY

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111

NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 29/09/2011 **Revision Date:** 13/09/2018

Supersedes Date: 05/06/2015

Version Number: 02

SAFETY DATA SHEET

Fax: (02) 9313 6444

Product Code: LIVCTN500

PAGE 5 OF 6

SECTION 12

ECOLOGICAL INFORMATION

Eco-toxicity Not available **BOD5** and COD Not available **Biodegradable / OECD** Not available Not available Mobility

Toxicity of the products of

bio-degradation

Not available

SECTION 13

DISPOSAL CONSIDERATIONS

Waste disposal method

Incineration of waste material in a permitted facility in accordance to local, state, and federal regulation is the recommended disposal method. Landfilling in a licensed facility in accordance to local, state and federal regulation is a suitable alternative.

This product is not listed in federal hazardous waste regulation 40CFR 261.33 paragraphs (a) or (f), i.e. chemical products that are considered hazardous if they become wastes. It does not exhibit any of the hazardous characteristics listed in 40 CFR 261 subpart C. State or local hazardous waste regulation may apply if different from the federal.

SECTION 14

TRANSPORT INFORMATION

DOT classification for bulk shipments (non-bulk

shipments may differ)

Not a DOT controlled material (United States)

DOT proper shipping name **UN number**

Not applicable Not applicable

Not applicable

Packing group USCG proper shipping name

Polypropylene

Marine pollutant

Not available

Hazardous substances reportable quantity

Not available

Special provisions for transport

Not applicable

TDG classification ADR/RID classification Not controlled under TDS (Canada) Not controlled under ADR (Europe)

IMO/IMDG classification ICAO/IATA classification Not controlled under IMDG Not regulated for air transport

SECTION 15 REGULATORY INFORMATION

Global chemical inventory

United States (TSCA) Listed **Europe (EINECS)** Listed



LIVINGSTONE INTERNATIONAL PTY I

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

PAGE 6 OF 6



Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 **NEW Website: www.livingstone.com.au**

Email: sales@livingstone.com.au

Issue Date: 29/09/2011 **Revision Date:** 13/09/2018

Supersedes Date: 05/06/2015

Product Code: LIVCTN500

Version Number: 02

SAFETY DATA SHEET

Canada (DSL) Listed Australia (AICS) Listed China (IECSC) Listed Japan (ENCS) Listed Korea (KECI) Listed New Zealand (NZIoC) Listed Philippines (PICCS) Listed Taiwan (ECS) Listed

SECTION 16

OTHER INFORMATION

Reason For Revision:

- · To bring to date
- To comply with GHS regulation.

END OF SDS