Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 1 OF 14

SECTION 1 PRODUCT IDENTIFICATION

1.1. Product identifier

Product name Type of product Synonyms : Livingstone Paper Cup

: OPE/ HOPE/ LLDPE / MLLDPE

: 9002-88-4 (LOPE/ HOPE); 25087-34-7(LLDPE / MLLDPE)

: Professional use, Industrial use

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category

1.2.2. Uses advised against

No additional information available

1.3. Emergency telephone number

Emergency number

SECTION 2 HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP)

Not classified

Adverse physicochemical, human healt h and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP)

No labelling applicable

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 FAX: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 2 OF 14

2.3. Other hazards

Other hazards which do not result in dassification

: Fine dust may cause irritation of respiratory system and mucous. Contact with hot material -prevent serious burns. If heated to more than 130°C, the product may form vapours or fumes which may cause irritation of respiratory tract and cause coughing and sensation of shortness of breath. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Dust may form explosive mixture in air. Combustible Dust.

The mixture does not contain substance(s) included in the list established in accordance with Artide 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %



3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	CAS-No.:		
Polyethylene	9002-88-4 (LDPE/HDPE) / 25087-34-?(LLDPE / MLLDPE)	100%	Not dassified

Chemical Ingredients	Percent (%)	Cas
Moisture content	58	1
Pulp	8290	1
French white	37	14807-96-6
starch	23	9005-25-8

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures after inhalation

: Exposure to spray, fumes and vapours produced by heated or burned product: Move to fresh air. Call a doctor.

First-aid measures after skin contact

: Exposure to splashing of hot product: Treat the affected part with cold water (by spraying or immersion). Do not remove clothing adhering to the skin. In case of severe burns, seek hospital treatment.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au **PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date:31/10/2024Last Revision Date:N/ASuperseded Date:N/AVersion Number:01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 3 OF 14

First-aid measures after eye contact	: In case of irritation caused by fine dust: wash with copious volumes of water, until the irritation disappears. Obtain medical attention if irritation persists.
First-aid measures after ingestion	: Ingestion during handling is not likely. Do not induce vomiting. Rinse mouth out with water.
4.2. Most important symptoms and effects, both acute a	nd delayed
Symptoms/effects	: Refer to § 11 for more details on effects.
Symptoms/effects after inhalation	: Dust from this product may cause respiratory irritation.
Symptoms/effects after skin contact	: Contact with hot material - prevent serious burns.
Symptoms/effects after eye contact	: Dust from this product may cause eye irritation.
4.3. Indication of any immediate medical attention and s	special treatment needed
Treat symptomatically.	

SECTION 5	FIRE FIGHTING MEASURES	
The democratic		
Flash point	: not applicable	
Low explosive limit	: none	
High explosive limit	: none	
5.1. Extinguishing media		
Suitable extinguishing media	: For small fire: Carbon dioxide. Dry powder. Water. For large fire: Foam.	
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Combustible.	
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Aldehydes. ketones. Acetone. Acetaldehyde. Formaldehyde. Hydrocarbons. acrolein; prop-2-enal; acrylaldehyde	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
Other information	: Notify fire brigade and environmental authorities. Evacuate unnecessary personnel. Use water spray to cool exposed surfaces.	

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

SAFETY DATA SHEET

PHONE: 1300 548 289 FAX: 1300 780 008



PAGE 4 OF 14

31/10/2024 Issue Date: Last Revision Date: N/A Superseded Date: N/A Version Number: 01

Product Code: LIVPC114

SECTION 6	ACCIDENTAL RELEASE MEASURES
Step to be taken if material is spilled or released:	: not applicable
Waste disposal methods:	: All waste material should be packaged, labeled and transported in accordance with all federal, state, and local regulations.
Precautions to be taken in handling and storage:	: store in cool and dry place, keep away from acides, heat and out of direct sunlight.
6.1. Personal precautions, protective equipment and e	emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Gloves. Safety glasses.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment and clean	ing up
For containment	: If spilled, may cause the floor to be slippery. Sweep up or vacuum up the product. Keep recovered product for subsequent disposal. Do not allow to enter drains or water courses. On water, recover/skim from surface and pour out in disposal container.
Other information	: Dispose of contaminated material at an authorized site. Notify authorities if product enters sewers or public waters.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

HANDLING AND STORAGE **SECTION 7**

7.1. Precautions for safe handling

Hygiene measures

: Do not eat, drink or smoke when using this product. Keep away from food and drink.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 FAX: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 5 OF 14

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Provide local exhaust or general room ventilation. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Storage conditions : Store at ambient temperature and at atmospheric pressure in original packaging (plastic or cardboard boxes) or in silo made of appropriate material (aluminium, stainless steel, ...). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Proper grounding procedures to avoid static electricity should be followed. Keep container tightly dosed in a cool, well-ventilated place. Special rules on packaging : Three pallets must never be stacked. under normal storage conditions, and following good working practices, two pallets may be stacked on flooring in sound condition. however, when the pictorial "Do not stack" is affixed to the pallet, the pallet must never be placed either on top of or below another pallet. N.B. :here the term pallet includes both the pallet and its load. when pallets are stored in racks, it should be checked whether the pallet is fit for stacking in the concerned racks. **Packaging materials** : Polyethylene. Paper bag. Carton. Stainless steel.

7.3. Specific end use(s)

Recommended to professional users.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

POLYETHYLENE LDPE & HDPE & LLDPE & MLLDPE

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA

: 10 mg/m³ inhalable dust particles 3 mg/m³ respirable dust particles

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

SAFETY DATA SHEET

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

Product Code: LIVPC114

PAGE 6 OF 14

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. If handling results in dust generation or high temperatures. local exhaust ventilation should be provided to insure that exposure to dust or decomposition products does not exceed the exposure recommended levels. Safety shower. Eye fountain.

8.2.2. Personal protection equipment

Personal protective equipment:

Dustproof dothing. Gloves. Safety glasses. Dust formation: dust mask.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective dothing. Safety foot-wear

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Dust/aerosol mask with filter type P1

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 7 OF 14

8.2.2.4. Thermal hazards

Thermal hazard protection:

Insulated gloves.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

9.1_ Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Translucent. White.
Appearance	: Pellet.
Odour	: Odourless.
Odour threshold	: Not available
Melting point	:90-160°C
Freezing point	: Not available
Initial boiling point and boiling range	: Not available
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: 0.015 kg/m³ (< 63 μm)
Upper explosive limit (UEL)	: Not applicable
Flash point	:≈340°C
Auto-ignition temperature	:>350°C
Decomposition temperature	: Not available
рН	: Not applicable
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 FAX: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 8 OF 14

Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 915 - 935 kg/m³
Relative vapour density at 20 °C	: Not available
Partide size	: Not applicable
Partide size distribution	: Not available
Partide shape	: Not available
Partide aspect ratio	: Not available
Partide aggregation state	: Not available
Partide agglomeration state	: Not available
Partide specific surface area	: Not available
Partide dustiness	: Not available
Evaporation Rate	: Not know
Specific gravity	: N.A
Water reactive	: N.A

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Minimum ignition energy	: 63mJ
VOC content	: < 0.3 %

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Electrostatic charges may be generated during handling. Take precautionary measures against static discharge during blending and transfer operations.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

SAFETY DATA SHEET

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

Product Code: LIVPC114

PAGE 9 OF 14

10.3. Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Avoid temperature above 320°C.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Halogens.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified pH: Not applicable
Additional information	: Heated product causes bums Thermal decomposition products are produced at elevated temperatures and these may be irritating
Serious eye damage/irritation	: Not classified pH: Not applicable
Additional information	: Fine dust may cause irritation to ocular mucous Thermal decomposition products are produced at elevated temperatures and these may be irritating Heated product causes bums
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 10 OF 14

Additional information	: Dust may cause irritation of respiratory system. If heated to more than 130°C, the product may form vapours or fumes which may cause irritation of respiratory tract and cause coughing and
	sensation of shortness of breath
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
POLYETHYLENE LDPE & HDPE & LLDPE & MLLDPE	
Viscosity, kinematic	: Not applicable
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) induded in the list established in accordance with Artide 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concent ration equal to or greater than 0, 1 %
11.2.2. Other information	
SECTION 12	COLOGICAL INFORMATION
12.1. Toxicity	
Ecology - general	: Do not allow product to spread into the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
12.2. Persistence and degradability	
POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE	

Persistence and degradability	: Product persists. Not readily biodegradable.
BOD (% of ThOD)	: Below detection limit

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date:31/10/2024Last Revision Date:N/ASuperseded Date:N/AVersion Number:01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 11 OF 14

12.3. Bioaccumulative potential	
POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE	
Bioaccumulative potential	: Low bioaccumulation potential.
12.4. Mobility in soil	
POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE	
Ecology - soil	: low mobility.
12.5. Results of PBT and vPvB assessment	
POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE	
Results of PBT assessment	: Not required
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Ar ticle 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0, 1 %
12. 7. Other adverse effects	
No additional information available	
SECTION 13	DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste treatment methods

: Dispose of in accordance with relevant local regulations. Do not discharge the product into the environment. Recycle the material as far as possible.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

Product Code: LIVPC114

SAFETY DATA SHEET

PAGE 12 OF 14

SECTION 14 TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA/ AON/ RID

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing Group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Dangerous for the environment: No	Dangerous for the environment: No Marine Pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	
No supplementary information available					

14.6. Special precautions for user

Overland transport

No data available

Transport by sea (IMDG)

No data available

Air transport (IATA)

No data available

Inland waterway transport

No data available

Rai I transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

SAFETY DATA SHEET

PHONE: 1300 548 289 FAX: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

Product Code: LIVPC114

PAGE 13 OF 14

SECTION 15 REGULATORY INFORMATION

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content

: < 0.3 %

15.1.2. National regulations

These registration entries are for polymers only. For additives, please refer to Qapco/Qatofin who will provide the necessary certification Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Complies the United States TSCA {Toxic Substances Control Act) inventory

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Listed on the China Inventory of Existing Chemical Substances {IECSC}

Listed on the Canadian DSL (Domestic Substances List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on or are exempt from listing on the Taiwan TCS I (Taiwan Chemical Substances Inventory)

Listed on KECUKECI (Korean Existing Chemicals Inventory)

15.2. Cliemical safe assessment

The substance is not dassified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.

SECTION 16 OTHER INFORMATION

Abbreviations and acronyms			
CAS-No.	Chemical Abstract Service number		
AON	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DNEL	Derived-No Effect Level		
ΙΑΤΑ	International Air Transport Association		
SDS	Safety Data Sheet		

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 31/10/2024 Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC114

PAGE 14 OF 14

IMDG	International Maritime Dangerous Goods		
EC-No.	European Community number		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
OEL	Occupational Exposure Limit		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		

Remarks: This sheet is only used and reproduced for prevention and security purposes.

Users are advised of possible additional hazard when the product is used in application for which it was not intended.

END OF SDS