Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 1 OF 14

SECTION 1 PRODUCT IDENTIFICATION

1.1. Product identifier

Product name : Livingstone Paper Cup

 Type of product
 : OPE/ HOPE/ LLDPE / MLLDPE

 Synonyms
 : 9002-88-4 (LOPE/ HOPE);

 25087-34-7(LLDPE / MLLDPE)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

1.2.2. Uses advised against

No additional information available

1.3. Emergency telephone number

Emergency number

SECTION 2 HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP)

Not classified

Adverse physicochemical, human healt h and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP)

No labelling applicable

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 2 OF 14

2.3. Other hazards

Other hazards which do not result in dassification

: Fine dust may cause irritation of respiratory system and mucous. Contact with hot material -prevent serious burns. If heated to more than 130°C, the product may form vapours or fumes which may cause irritation of respiratory tract and cause coughing and sensation of shortness of breath. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Dust may form explosive mixture in air. Combustible Dust

The mixture does not contain substance(s) included in the list established in accordance with Artide 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	CAS-No.:		
Polyethylene	9002-88-4 (LDPE/HDPE) / 25087-34-?(LLDPE / MLLDPE)	100%	Not dassified

Chemical Ingredients	Percent (%)	Cas
Moisture content	58	1
Pulp	8290	1
French white	37	14807-96-6
starch	23	9005-25-8

SECTION 4

FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures after inhalation

: Exposure to spray, fumes and vapours produced by heated or burned product: Move to fresh air. Call a doctor.

First-aid measures after skin contact

: Exposure to splashing of hot product: Treat the affected part with cold water (by spraying or immersion). Do not remove clothing adhering to the skin. In case of severe burns, seek hospital treatment.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au **PHONE**: 1300 548 289 **FAX**: 1300 780 008



01/11/2024 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:**

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 3 OF 14

First-aid measures after eye contact

: In case of irritation caused by fine dust: wash with copious volumes of water, until the irritation disappears. Obtain medical attention if irritation

persists.

First-aid measures after ingestion : Ingestion during handling is not likely. Do not induce vomiting. Rinse

mouth out with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Refer to § 11 for more details on effects.

Symptoms/effects after inhalation : Dust from this product may cause respiratory irritation.

Symptoms/effects after skin contact : Contact with hot material - prevent serious burns. Symptoms/effects after eye contact : Dust from this product may cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

Flash point : not applicable

Low explosive limit : none High explosive limit : none

5.1. Extinguishing media

Suitable extinguishing media : For small fire: Carbon dioxide. Dry powder. Water. For large fire: Foam.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Aldehydes. ketones. Acetone. Acetaldehyde.

Formaldehyde. Hydrocarbons. acrolein; prop-2-enal; acrylaldehyde...

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

Other information : Notify fire brigade and environmental authorities. Evacuate unnecessary

personnel. Use water spray to cool exposed surfaces.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 4 OF 14

SECTION 6 ACCIDENTAL RELEASE MEASURES

Step to be taken if material is spilled or released:

Waste disposal methods:

: not applicable

: All waste material should be packaged, labeled and transported in

accordance with all federal, state, and local regulations.

Precautions to be taken in handling and storage: : store in cool and dry place, keep away from acides, heat and out

of direct sunlight.

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

: Do not attempt to take action without suitable protective equipment.

Gloves. Safety glasses.

6.1.2. For emergency responders

Protective equipment

: Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: If spilled, may cause the floor to be slippery. Sweep up or vacuum up the product. Keep recovered product for subsequent disposal. Do not allow to enter drains or water courses. On water, recover/skim from surface and pour out in disposal container.

Other information

: Dispose of contaminated material at an authorized site. Notify authorities if product enters sewers or public waters.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7 H

HANDLING AND STORAGE

7.1. Precautions for safe handling

Hygiene measures

: Do not eat, drink or smoke when using this product. Keep away from food and drink

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 5 OF 14

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations. Provide local exhaust or general room ventilation. Ground/bond container and receiving equipment. Take precautionary measures against static discharge.

Storage conditions

: Store at ambient temperature and at atmospheric pressure in original packaging (plastic or cardboard boxes) or in silo made of appropriate material (aluminium, stainless steel, ...). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Proper grounding procedures to avoid static electricity should be followed. Keep container tightly dosed in a cool, well-ventilated place.

Special rules on packaging

: Three pallets must never be stacked. under normal storage conditions, and following good working practices, two pallets may be stacked on flooring in sound condition. however, when the pictorial "Do not stack" is affixed to the pallet, the pallet must never be placed either on top of or below another pallet.

N.B. :here the term pallet includes both the pallet and its load. when pallets are stored in racks, it should be checked whether the pallet is fit for

stacking in the concerned racks.

Packaging materials

: Polyethylene. Paper bag. Carton. Stainless steel.

7.3. Specific end use(s)

Recommended to professional users.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

POLYETHYLENE LDPE & HDPE & LLDPE & MLLDPE

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA

: 10 mg/m³ inhalable dust particles 3 mg/m³ respirable dust particles

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au **PHONE**: 1300 548 289 **FAX**: 1300 780 008



01/11/2024 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:**

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 6 OF 14

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. If handling results in dust generation or high temperatures. local exhaust ventilation should be provided to insure that exposure to dust or decomposition products does not exceed the exposure recommended levels. Safety shower. Eye fountain.

8.2.2. Personal protection equipment

Personal protective equipment:

Dustproof dothing. Gloves. Safety glasses. Dust formation: dust mask.

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective dothing. Safety foot-wear

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Dust/aerosol mask with filter type P1

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237 PAGE 7 OF 14

8.2.2.4. Thermal hazards

Thermal hazard protection:

Insulated gloves.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Vapour pressure

Do not eat, drink or smoke during use.

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state : Solid

Colour : Translucent. White.

Appearance : Pellet. Odour : Odourless. **Odour threshold** : Not available : 90-160°C **Melting point** Freezing point : Not available Initial boiling point and boiling range : Not available **Flammability** : Not available **Explosive limits** : Not applicable

Lower explosive limit (LEL) : $0.015 \text{ kg/m}^3 \text{ (< 63 } \mu\text{m)}$

Upper explosive limit (UEL) : Not applicable

Flash point : ≈340 ° C

Auto-ignition temperature :> 350 ° C

Decomposition temperature : Not available

pH : Not applicable

pH solution : Not available

Viscosity, kinematic : Not applicable

Solubility : Water: Insoluble

Partition coefficient n-octanol/water (Log Kow) : Not available

Information provided on this document is presented in good faith and believed to be correct based on the best data currently available, Livingstone International makes no representations or warranties, expressed or implied as to the completeness or accuracy of the information. In no event will Livingstone International be liable for any errors or omissions in the information provided herein. Information is supplied upon the condition that any persons or corporate receiving same will make independent determination as to its suitability for their own purposes prior to use, and in no event will Livingstone International be responsible for damages of any nature whatsoever resulting from the use of product or reliance upon information provided. Information is provided on an "as is" basis, no representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature are made herein with respect to information of the product.

: Not available

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237 PAGE 8 OF 14

Vapour pressure at 50°C : Not available **Density** : Not available **Relative density** : 915 - 935 kg/m³ Relative vapour density at 20°C : Not available Partide size : Not applicable Partide size distribution : Not available Partide shape : Not available : Not available Partide aspect ratio Partide aggregation state : Not available : Not available Partide agglomeration state Partide specific surface area : Not available **Partide dustiness** : Not available **Evaporation Rate** : Not know **Specific gravity** : N.A Water reactive : N.A

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Minimum ignition energy : 63mJ VOC content : < 0.3 %

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Electrostatic charges may be generated during handling. Take precautionary measures against static discharge during blending and transfer operations.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 9 OF 14

10.3. Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Avoid temperature above 320°C.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Halogens.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11

TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classifiedSkin corrosion/irritation: Not classified
pH: Not applicable

Additional information : Heated product causes bums

Thermal decomposition products are produced at elevated temperatures

and these may be irritating

Serious eye damage/irritation : Not classified

pH: Not applicable

Additional information : Fine dust may cause irritation to ocular mucous

Thermal decomposition products are produced at elevated temperatures

and these may be irritating

Heated product causes bums

Respiratory or skin sensitisation: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classified

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 10 OF 14

Additional information : Dust may cause irritation of respiratory system.

If heated to more than 130°C, the product may form vapours or fumes which may cause irritation of respiratory tract and cause coughing and

sensation of shortness of breath

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

POLYETHYLENE LDPE & HDPE & LLDPE & MLLDPE

Viscosity, kinematic : Not applicable

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) induded in the list established in accordance with Artide 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concent ration equal to or greater than 0, 1 %

11.2.2. Other information

SECTION 12

ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general : Do not allow product to spread into the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

12.2. Persistence and degradability

POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE

Persistence and degradability : Product persists. Not readily biodegradable.

BOD (% of ThOD) : Below detection limit

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 11 OF 14

12.3. Bioaccumulative potential

POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE

Bioaccumulative potential : Low bioaccumulation potential.

12.4. Mobility in soil

POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE

Ecology - soil : low mobility.

12.5. Results of PBT and vPvB assessment

POL YET HYLE NE LDPE & HDPE & LLDPE & MLLDPE

Results of PBT assessment : Not required

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Ar ticle 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0, 1 %

12. 7. Other adverse effects

No additional information available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste treatment methods

: Dispose of in accordance with relevant local regulations. Do not discharge the product into the environment. Recycle the material as far as possible.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 12 OF 14

SECTION 14 TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA/ AON/ RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing Group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine Pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information ava	ailable			

14.6. Special precautions for user

Overland transport

No data available

Transport by sea (IMDG)

No data available

Air transport (IATA)

No data available

Inland waterway transport

No data available

Rai I transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 13 OF 14

REGULATORY INFORMATION

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content :< 0.3 %

15.1.2. National regulations

These registration entries are for polymers only. For additives, please refer to Qapco/Qatofin who will provide the necessary certification Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Complies the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Listed on the China Inventory of Existing Chemical Substances (IECSC)

Listed on the Canadian DSL (Domestic Substances List)

Listed on NZloC (New Zealand Inventory of Chemicals)

Listed on or are exempt from listing on the Taiwan TCS I (Taiwan Chemical Substances Inventory)

Listed on KECUKECI (Korean Existing Chemicals Inventory)

15.2. Cliemical safe assessment

The substance is not dassified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.

SECTION 16 OTHER INFORMATION

Abbreviations and acronyms		
CAS-No.	Chemical Abstract Service number	
AON	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	
IATA	International Air Transport Association	
SDS	Safety Data Sheet	

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 01/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: LIVPC237

PAGE 14 OF 14

IMDG	International Maritime Dangerous Goods
EC-No.	European Community number
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
OEL	Occupational Exposure Limit
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Remarks: This sheet is only used and reproduced for prevention and security purposes.

Users are advised of possible additional hazard when the product is used in application for which it was not intended.

END OF SDS