Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 1 OF 10

SECTION 1

PRODUCT IDENTIFICATION

Chemical Product Identification

Product Name: Livingstone Maximum Minimum Digital Thermometer

Recomended Uses: Toys, Remote Control

Restrictions on Use: N/A

(SECTION 2)

HAZARD IDENTIFICATION

Emergency overview: This product is a battery. Intended use of the product should not result in exposure to the chemical

susbstance. In case of rupture the below hazard exist.

Classification according to GHS

Acute toxicity, oral (4)

Skin corrosion/irritation (2)

Serious eye damage/eye irritation (2A)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Hazardous to the aquatic environment, long-term hazard (2)

Label elements





Hazard pictogram(s):

Signal word: Warning

Hazard statement(s):

H302 Harmful if swallowed

H315 Causes skin irriation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H411 Toxic to aquatic life with long lasting effects

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 2 OF 10

Precautionary statement(s):

Prevention:

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty water.

P321 Specific treatment (See additional emergency instructions).

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call POISON CENTER, if you feel unwell.

P391 Collect spillage.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 **Environmental hazards:** See Section 12

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 3 OF 10

(SECTION 3)

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixture

| Chemical Composition | CAS No. | EC# | Weight (%) |
|--------------------------|------------|-----------------|------------|
| Manganese doixide | 1313-13-9 | 215-202-6 | 30.50 |
| Zinc | 7440-66-6 | 231-175-3 | 37.40 |
| Carbon black | 1333-86-4 | 215-609-9 | 4.20 |
| Zinc Chloride | 7646-85-7 | 231-592-0 | 4.79 |
| Ammonium Chloride | 12125-02-9 | 235-186-4 | 1.00 |
| Iron | 7439-89-6 | 231-096-4 22.11 | |

(SECTION 4)

FIRST AID MEASURES

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before resuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 4 OF 10

SECTION 5

FIRE FIGHTING MEASURES

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surronding environment. Such as dry powder, CO,.

Unsuitable extinguishing medai:

No data available.

Specific Hazards arising from the chemical:

Special hazards aarising from substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specifi protective actions for fire-fighters:

Protective equipmet: Wear self-contained resppirator. Wear fully protective imprevious suit.

(SECTION 6)

ACCIDENTAL RELEASE MEASURES

Personal precaustions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Proactive equipment:

No data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust.

Collect as much of the spiiled material as possible, placed the spilled material into a disposal container, Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handing must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 5 OF 10

SECTION 7 HANDLING AND STORAGE

Precaustions for safe handling:

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble. Batteries may explode or cause burns, if disassembled, crushed or expossed to fire or high temparatures. Do not short or install woth incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area.

Prevent concentration in hollows and sumps.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| CAS No. | ACGIH | NIOSH | OSHA |
|--------------------------|-----------------------------|------------------------------|------------------|
| 1313-13-9 | -9 N/A N/A | | N/A |
| 7440-66-6 | N/A | N/A N/A | |
| 1333-86-4 | TLV-TWA 3mg/m³ | REL-TWA 3.5mg/m ³ | PEL-TWA 3.5mg/m³ |
| 7646-85-7 TLV-TWA 1mg/m³ | | REL-TWA 1mg/m³ | PEL-TWA 1mg/m³ |
| | TLV-STEL 2mg/m ³ | REL-STEL 2mg/m ³ | |
| 12125-02-9 | TLV-TWA 10mg/m³ | REL-TWA 10mg/m³ N/A | |
| | TLV-STEL 20mg/m³ | REL-STEL 20mg/m³ | |
| 7439-89-6 | N/A | N/A | N/A |

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment:

Respiratory protection: Wear suitable protective mask. For a large large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eye Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

Physical State:

Flammability:

SAFETY DATA SHEET

Cylindrical.

Not available.

Product Code: MAXMINDI

PAGE 6 OF 10

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Colour: Blue, red and silver.

Odour:

pH: Not available.

Melting point/freezing point: Not available.

Boiling point or initial boiling point and boiling range: Not available.

Flash Point: Not available.

Solubility:Not available.Lowe and upper explosion limit/flammability limit:Not available.

Auto-ignition temperature:Not available.Decomposition temperature:Not available.Kinematic vicosity:Not available.

Partition coefficient: n-octanol/water (log value):Not available.Vapour pressure:Not available.Density and/or relative density:Not available.

Relative vapour density:Not available.Particle characteristics:Not available.Other information:Not available.

Voltage 1.5V

SECTION 10 STABILITY AND REACTIVITY

Reactivity: No data available. **Chemical stability:** Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatible materials: Oxidizing agents, acid base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 7 OF 10

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

| CAS No. | LC50/LD50 | | |
|------------|-----------------------------|--|--|
| 1313-13-9 | No data available. | | |
| 7440-66-6 | LD50 Rat (oral): >2000mg/kg | | |
| 1333-86-4 | No data available. | | |
| 7646-85-7 | LD50 Rat (oral): 1100mg/kg | | |
| 12125-02-9 | LD50 Rat (oral): 1650mg/kg | | |
| 7439-89-6 | No data available. | | |

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available.

Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available.

Specific target organ toxicity-Related exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available.

Skin: No data available.

Ingestion: No data available.

Inhalation: No data available.

SECTION 12 ECOLOGICAL INFORMATION

Ecological Toxicity:

CAS# 7440-66-6

ErC50: 0.15 mg/L - Algea (Pseudokirchneriella subcapitata) - 72h

CAS# 7646-85-7

EC50: 0.1 mg/L - Crustacea (Daphnia magna) - 48h

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility on Soil: No data available.

Other adverse effects: No data available.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 8 OF 10

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal methods

Recomendation: Consult stae, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recomendation: Disposal must be made according to official regulations.

(SECTION 14) TRANSPORT INFORMATION

UN or ID Number

IATA, IMDG N/A

Proper Shipping Name/Description

IATA, IMDG N/A

Class or Div. (Sub hazard)

IATA, IMDG Not Subjected for transport of dangerous goods

Parking Group

IATA, IMDG N/A

Hazard Label

IATA, IMDG N/A

Environmental hazards

Marine pollutant: No

Special precautions for userNo information available.

Transport Information: Zinc Manganese Dioxide Battery R03 (AAA Size) is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 66th, IATA Special Provisions A123, International Martine Dangerous Goods Regulations (IMDG) (41-22).

S.P.A123 This entry applies to Batteries, electric storage, not otherwise listed in Subsection 4.2-list of Dangerous Goods. Examples of such batteries are: alkali-manganese, zinc-carbon and nickel-cadium batteries. Any electrical battery or battery powered device, equipment or vehicle having the potential of a dangerous evolution of heat must be prepared for transport so as to prevent (a) short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or in the case of equipment, by disconnection of the battery and the protection of exposed terminals); and (b) accidental activation

Devices such as radio frequency identification (RFID) tags, watches and temperature loggers, which are not capable of generating a dangerous evolution of heat, may be transported when intentionally active. When active, these devices must meet defined standards for electromagnetic radation to ensure that the operation of the device does not interfere with aircraft systems. The devices must not be capable of emitting disturbing signals (such as buzzing alarms, strobe lights, etc.) during tranport. The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill required by 8.2.6, when an Air Waybill is issued.

Transport Fashion: By air, by sea.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 9 OF 10

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

| CAS No. | TSCA | IECSC | DSL/NDSL | EINECS/ ELINGS/ NLP |
|------------|--------|--------|------------|---------------------|
| 1313-13-9 | Listed | Listed | Listed DSL | Listed |
| 7440-66-6 | Listed | Listed | Listed DSL | Listed |
| 1333-86-4 | Listed | Listed | Listed DSL | Listed |
| 7646-85-7 | Listed | Listed | Listed DSL | Listed |
| 12125-02-9 | Listed | Listed | Listed DSL | Listed |
| 7439-89-6 | Listed | Listed | Listed DSL | Listed |

SECTION 16 OTHER INFORMATION

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are describe herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Treshold Limit Value);

TWA: (Time Weighted Value);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recomended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

IARC: (International Agency for Research on Cancer);

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 10/03/2025

Last Revision Date: N/A
Superseded Date: N/A
Version Number: 01

SAFETY DATA SHEET

Product Code: MAXMINDI

PAGE 10 OF 10

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

EC50: (Median effective concentration);

BCF: (Biioconcentration Factor);

BOD: (Biochemical oxgyen demand);

IECSC: (Inventory of Existing Chemical Substance in China);

NOEC: (No observed effect concentration);

NTP: (US National Toxic Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Dosmestic Substances List of Canada);

NDSL: (the Non-Dosmestic Substances List of Canada);

IATA: (International Air Transport Association);

IMDG: (Internaitonal Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)

END OF SDS