HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au
WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 1 OF 12

SECTION 1 PRODUCT IDENTIFICATION

1.1. Product identifier

3M (TM) Avagard(TM) 9260 General Moisturising Barrier Lotion

Product Identification Numbers

AH-0106-1539-3 AH-1000-1393-9 AH-1000-1394-7 AH-1000-1736-9

1.2. Recommended use and restrictions on use

Recommended use

Moisturising Barrier Lotion

For Professional use only.

SECTION 2 HAZARD IDENTIFICATION

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Flammable Liquid: Category 4.

2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500 PAGE 2 OF 12

Signal word

WARNING!

Symbols

Not applicable.

Pictograms

Not applicable

Hazard statements

H227 Combustible liquid.

Precautionary statements

General:

P102 Keep out of reach of children.

P103 Read label before use.

P101 If medical advice is needed, have product container or label at hand.

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280B Wear protective gloves and eye/face protection.

Response:

P370 + P378G In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry

chemical or carbon dioxide to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

2.3. Other assigned/identified product hazards

None known.

2.4. Other hazards which do not result in classification

Harmful to aquatic life.

ECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

This material is a mixture.

Ingredient	CAS Nbr
Water	7732-18-5
Cetostearyl alcohol	67762-27-0
Mineral Oil	8042-47-5
Ethylene glycol polymer	25322-68-3

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



30/04/2021 Issue Date:

Last Revision Date: N/A Superseded Date: Version Number:

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 3 OF 12

(SECTION 4) FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If signs/symptoms develop, get medical attention.

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

Eye contact

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

(SECTION 5) FIRE FIGHTING MEASURES

5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide. Carbon dioxide.

Irritant vapours or gases.

Condition

During combustion. During combustion. During combustion.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. WARNING! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 4 OF 12

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

(SECTION 7)

HANDLING AND STORAGE

This product is classified as a C1 COMBUSTIBLE LIQUID. For more information please refer to AS 1940

7.1. Precautions for safe handling

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

(SECTION 8)

EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Ethylene glycol polymer	25322-68-3	AIHA	TWA(as particulate):10	
			mg/m3	
Paraffin oil	8042-47-5	Australia OELs	TWA(as mist)(8 hours):5	
			mg/m3	
MINERAL OILS, HIGHLY-	8042-47-5	ACGIH	TWA(inhalable fraction):5	A4: Not class. as human
REFINED OILS			mg/m3	carcin

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

Australia OELs: Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling Sen: Sensitiser

Sk: Absorption through the skin may be a significant source of exposure.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500 PAGE 5 OF 12

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Density

Respiratory protection is not required.

SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateLiquid.Specific Physical Form:Viscous.

Appearance/Odour Milky white, moderately Viscous lotion with fresh floral odour

Odour threshold *No data available.*

pH 5 - 7 [*Details*: Neat @ 25C]

Melting point/Freezing point

No data available.

Boiling point/Initial boiling point/Boiling range

No data available.

Flash point 75 °C [Test Method:Pensky-Martens Closed Cup]

No data available.

[Details: Greater than 75C (Self extinguishing)]

Evaporation rate

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

Vapour pressure

No data available.

Relative density 0.94 - 1 [*Ref Std*:WATER=1]

Water solubilityNo data available.Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Autoignition temperatureNo data available.Decomposition temperatureNo data available.Viscosity10,000 - 26,000 mPa-s

Volatile organic compounds (VOC)

No data available.

No data available.

VOC less H2O & exempt solvents No data available.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au
WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 6 OF 12

(SECTION 10) STABILITY AND REACTIVITY

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3. Conditions to avoid

Not determined

10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.5 Incompatible materials

Not determined

10.6 Hazardous decomposition products

Substance

None known.

Condition

SECTION 11 TOXICOLOGICAL INFORMATION

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



30/04/2021 Issue Date:

Last Revision Date: N/A Superseded Date: N/A **Version Number:**

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 7 OF 12

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000
_			mg/kg
Mineral Oil	Dermal	Rabbit	LD50 > 2,000 mg/kg
Mineral Oil	Ingestion	Rat	LD50 > 5,000 mg/kg
Ethylene glycol polymer	Dermal	Rabbit	LD50 > 20,000 mg/kg
Ethylene glycol polymer	Ingestion	Rat	LD50 32,770 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Mineral Oil	Rabbit	No significant irritation
Ethylene glycol polymer	Rabbit	Minimal irritation

Serious Eve Damage/Irritation

Name	Species	Value
Mineral Oil	Rabbit	Mild irritant
Ethylene glycol polymer	Rabbit	Mild irritant

Skin Sensitisation

Name	Species	Value
Mineral Oil	Guinea pig	Not classified
Ethylene glycol polymer	Guinea pig	Not classified

3M (TM) Avagard(TM) 9260 General Moisturising Barrier Lotion

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity	Germ Cell Mutagenicity					
Name	Route	Value				
Mineral Oil	In Vitro	Not mutagenic				
Ethylene glycol polymer	In Vitro	Not mutagenic				
Ethylene glycol polymer	In vivo	Not mutagenic				

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 8 OF 12

Carcinogenicity

Name	Route	Species	Value
Mineral Oil	Dermal	Mouse	Not carcinogenic
Mineral Oil	Inhalation	Multiple animal	Not carcinogenic
		species	
Ethylene glycol polymer	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Mineral Oil	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
Mineral Oil	Mineral Oil Ingestion		Rat	NOAEL 4,350 mg/kg/day	13 weeks
Mineral Oil	Ingestion	Not classified for development	Rat	NOAEL 4,350 mg/kg/day	during gestation
Ethylene glycol polymer	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
Ethylene glycol polymer	Ingestion	Not classified for male reproduction	Rat	NOAEL 5699 +/-1341 mg/kg/day	5 days
Ethylene glycol polymer	Not specified.	Not classified for reproduction and/or development		NOEL N/A	
Ethylene glycol polymer	Ingestion	Not classified for development	Mouse	NOAEL 562 mg/animal/da	during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Specific Tar	pecific ranger organ rowerty single exposure						
Name	Route	Target	Value	Species	Test result	Exposure	
		Organ(s)				Duration	
Ethylene glycol	Inhalation	respiratory irritation	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks	
polymer							

Specific Target Organ Toxicity - repeated exposure

Specific Turse	t Organ Tomere	1 cpeated expo	Juit			
Name	Route	Target	Value	Species	Test result	Exposure
		Organ(s)				Duration
Mineral Oil	Ingestion	hematopoietic	Not classified	Rat	NOAEL 1,381	90 days
		system			mg/kg/day	

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au PHONE: 1300 548 289 FAX: 1300 780 008



30/04/2021 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:**

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 9 OF 12

Mineral Oil	Ingestion	liver immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days
Ethylene glycol polymer	Inhalation	respiratory system	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks
Ethylene glycol polymer	Ingestion	kidney and/or bladder heart endocrine system hematopoietic system liver nervous system	Not classified	Rat	NOAEL 5,640 mg/kg/day	13 weeks

Aspiration Hazard

Name	Value		
Mineral Oil	Aspiration hazard		

Exposure Levels

Refer Section 8.1 Control Parameters of this Safety Data Sheet.

Interactive Effects

Not determined.

SECTION 12 ECOLOGICAL INFORMATION

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

GHS Acute 3: Harmful to aquatic life.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 10 OF 12

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Cetostearyl alcohol	67762-27-0	Green algae	Estimated	96 hours	Effect Level 50%	>100 mg/l
Cetostearyl alcohol	67762-27-0	Green algae	Estimated	96 hours	No obs Effect Level	100 mg/l
Mineral Oil	8042-47-5	Bluegill	Experimental	96 hours	Lethal Level 50%	>100 mg/l
Mineral Oil	8042-47-5	Water flea	Estimated	48 hours	Effect Level 50%	>100 mg/l
Mineral Oil	8042-47-5	Water flea	Estimated	21 days	No obs Effect Level	>100 mg/l
Mineral Oil	8042-47-5	Green algae	Estimated	72 hours	No obs Effect Level	>100 mg/l
Ethylene glycol polymer	25322-68-3	Atlantic Salmon	Experimental	96 hours	LC50	>100 mg/l

12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cetostearyl	67762-27-0	Estimated	28 days	BOD	67 %	Other methods
alcohol		Biodegradation	-		BOD/ThBOD	
Mineral Oil	8042-47-5	Experimental	28 days	CO2 evolution	0 % weight	OECD 301B - Modified
		Biodegradation	-			sturm or CO2
Ethylene glycol	25322-68-3	Experimental	28 days	BOD	53 % weight	OECD 301C - MITI
polymer		Biodegradation				test (I)

12.3: Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cetostearyl	67762-27-0	Estimated		Bioaccumulatio	661	Estimated:
alcohol		Bioconcentrati		n factor		Bioconcentration factor
		on				
Mineral Oil	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Ethylene glycol polymer	25322-68-3	Estimated Bioconcentrati on		Bioaccumulatio n factor	2.3	Estimated: Bioconcentration factor

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au
WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 11 OF 12

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility.

SECTION 14 TRANSPORT INFORMATION

Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable

IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.

Sub Risk: Not applicable. **Packing Group:** Not applicable.

International Maritime Dangerous Goods Code (IMDG)- Marine Transport

UN No.: Not applicable.

Proper shipping name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au
WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 30/04/2021

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

SAFETY DATA SHEET

Product Code: MMM9260-500

PAGE 12 OF 12

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory Status:

The chemical components contained within this product are listed on the Australian Inventory of Chemical Substances and are in compliance with the requirements of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

Poison Schedule: This product is not a scheduled poison according to the criteria of the Standard for the Uniform Scheduling of Medicines and Poisons.

(SECTION 16) OTHER INFORMATION

Revision information:

Update to product identification numbers.

END OF SDS