Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



 Issue Date:
 25/10/2004

 Last Revision Date:
 20/06/2023

 Superseded Date:
 03/09/2018

SAFETY DATA SHEET

Product Code: OSDBL

Version Number:

PAGE 1 OF 4

(SECTION 1) PRODUCT IDENTIFICATION

Product Name: Livingstone Shoe Cover Overshoes Polypropylene Blue

(SECTION 2) HAZARD IDENTIFICATION

No hazardous product under normal conditions.

N.B. Accidental thermal decomposition or melting state can present hazards.

Primary Route(s) of Entry:

Eye Contact: Particles may scratch eye surfaces due to mechanical irritation.

Skin Contact:Low order of toxicityInhalation:Low order of toxicityIngestion:Minimal toxicity

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

The components of this product are not considered to be hazardous.

| Ingredient | CAS No | Percent |
|---------------|-----------|---------|
| Polypropylene | 9003-07-0 | > 99.5% |
| Rutile | 1317-80-2 | |
| Polyethylene | 9002-88-4 | <0.5% |

SECTION 4 FIRST AID MEASURES

Eyes: This product is an inert solid. If in eyes, remove as one would any foreign object.

Skin Contact: Flush skin with water, if irritation persists, consult physician.

Inhalation: First Aid is not normally required, if large amounts of dust are inhaled, remove subject from exposure.

Ingestion: Treat symptomatically and supportively; First Aid is not normally necessary.

SECTION 5 FIRE FIGHTING MEASURES

Ignition Point: 400-500°C

Extinguishing Media:Use water spray to cool fire-exposed surfaces and to protect personnel. Isolate "fuel" supply of fire.

Extinguish by cooling with water spray. Use carbon dioxide, dry powder, foam, etc.

Decomposition Products: First Aid is not normally required, if large amounts of dust are inhaled, remove subject from exposure.

Under Fire Condition: Under oxygen lean conditions, Carbon Dioxide (CO) and irritating smoke can be produced.

Special Firefighting Procedures: A self-contained breathing apparatus and suitable protective equipment should be worn to fight fire.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/10/2004 Last Revision Date: 20/06/2023 Superseded Date: 03/09/2018

Version Number: 05

SAFETY DATA SHEET

Product Code: OSDBL

PAGE 2 OF 4

SECTION 6 ACCIDENTAL RELEASE MEASURES

Land Spill:Sweep up or vacuum and place in suitable containers for recycle or disposal.

Conform with local regulations.

Water Spill:Recover the spilled material and place in suitable containers for recycle or disposal.

Conform with local regulations.

Static discharge can accumulate.

SECTION 7 HANDLING AND STORAGE

Storage Conditions:

Store in a dry, normal temperature area far away from flammable sources, avoiding the direct sunlight.

Temperatures in excess may cause resin degradation.

Sensitivity to Static Electricity:

Sensitivity to

Mechanical Impact: None

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Requirement: Where concentration in air exceed TL V. work practice or NIOSII approved respirators may be necessary

to prevent overexposure

Personal Protection Equipment:

Eye Protection: Wear safety glasses. **Glove Requirements:** Not normally required

Respirator Requirements: Not normally required, see above.

(SECTION 9) PHYSICAL/CHEMICAL PROPERTIES

Appearance and Odour: Fibrous nonwoven material, with negligible odour.

Solubility in water:InsolubleDensity: 0.91g/m^3 Melting Point: $160 \sim 165 ^{\circ}\text{C}$ Ignition Point: $400 \sim 500 ^{\circ}\text{C}$

(SECTION 10) STABILITY AND REACTIVITY

Stability: Stable at ordinary conditions of storage and handling.

Incompatibility: None Specified.

Hazardous Decomposition

Products:

Carbon Monoxide

Conditions to Avoid: Keep away from flammable sources and high temperature area.

Avoid store near propane tanks or heaters emitting oxides because it causes a pink colour to occur.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/10/2004 Last Revision Date: 20/06/2023 Superseded Date: 03/09/2018

Version Number: 05

SAFETY DATA SHEET

Product Code: OSDBL

PAGE 3 OF 4

SECTION 11 TOXICOLOGICAL INFORMATION

Eye: Particulate can scratch surface.

Inhalation: Negligible at ambient temperatures. Irritant following combustion

Skin: Negligible Ingestion: Minimal

Carcinogenicity: NTP (no): IARC (no); OSHA (no)

Medically aggravated Conditions: None

Route of Entry: Inhalation (yes); Skin (no): Ingestion (no)

SECTION 12 ECOLOGICAL INFORMATION

For transportation, storage, normal use, no ecological effects known.

No water pollution.

(SECTION 13) DISPOSAL CONSIDERATIONS

The preferred way for disposal is through recycling or incineration and landfill according to all state, local regulations.

(SECTION 14) TRANSPORT INFORMATION

Not regulated, not a dangerous good as defined by the following regulations.

Sea transportation: IMO/IMDG
Air transportation: ICAO/IATA
Road. Rail transportation: ADR/RID

Special Hazard Precautions: Combustible, Avoid fire sources and high temperature material.

SECTION 15 REGULATORY INFORMATION

Law Information: In accordance with all State and Local laws. **TSCA:** This product is listed on the TSCA inventory.

If this product is accidentally spilled, it is not subject to any special reporting under requirements of the Comprehensive Environmental Response, Compensation and Liability (CERCLA). We

recommend that you contact local authorities who may have other local reporting requirements.

Under the provisions of TitlellI, Sections 311/312 of the Superfund Amendments and

SARA TitleIII: Reauthorization Act, this product is classified into the following hazard categories: Not Hazardous.

This product does not contain Section 313

Reportable Ingredients.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

PHONE: 1300 548 289 **FAX**: 1300 780 008



 Issue Date:
 25/10/2004

 Last Revision Date:
 20/06/2023

 Superseded Date:
 03/09/2018

SAFETY DATA SHEET

Product Code: OSDBL

Version Number:

PAGE 4 OF 4

(SECTION 16) OTHER INFORMATION

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Reason for Revision: To bring to date

END OF SDS