Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 14/08/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

### SAFETY DATA SHEET





Product Code: PM996

**Chemical Formula:** 

PAGE 1 OF 6

### SECTION 1 PRODUCT IDENTIFICATION

**Product Name:** PARAFILM Laboratory Cling Film,

Chemical Name/Synonyms: Hydrocarbon wax
Chemical family: Hydrocarbon wax
CAS #: None assigned

#### SECTION 2 HAZARD IDENTIFICATION

Emergency overview: This material is not hazardous by OSHA Hazard Communication

Definition

-(CH<sub>2</sub>-CH<sub>2</sub>)-

Signal Word CAUTION!

Physical Health Hazards: Dust may form explosive mixtures with air. Molten Parafilm may cause thermal burns. Irritating

fumes may be produced at elevated temperatures.

Physical state: Solid

**Color:** Translucent to white

**Odor:** Faint, mild hydrocarbon odor

Odor threshold: No data available

**Potential Health Effects:** 

**Routes of exposure:** Ingestion, skin contact

Signs and Symptoms of Acute

Exposure:

Molten product may cause thermal burns. At elevated temperatures, irritating fumes may cause

soreness in the nose and throat, coughing may result.

**Skin contact:** Molten product may cause thermal burns

**Inhalation:** At elevated temperatures irritating fumes may be produced. Inhalation of such fumes may cause

soreness in the nose and throat and coughing. Inhaling Parafilm dust is considered a nuisance.

**Eye contact:** Mechanical irritation is possible if abraided into a dust form.

**Ingestion:** Ingestion is unlikely

**Chronic Health Effects** 

Summary:

No known chronic health effects.

**Polyethylene Homopolymer:** 

**Conditions Aggravated by** 

**Exposure:** 

No known conditions are aggravated by this material.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 14/08/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

### SAFETY DATA SHEET

Product Code: PM996

PAGE 2 OF 6

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Component Name OSHA PEL OSHA STEL ACGIH TLV ACGIH STEL Carcinogenic

CAS#

**Listing** No data available

Proprietary additives N/L N/L N/L N/L N/L N/L N/L

Note: N/L = Not listed

**Concentration by** Wt/Mal% 98.0 Avg. 100.0 Min. 0.0 Max. 2.0

#### SECTION 4 FIRST AID MEASURES

Take proper precautions to ensure your own health and safety before attempting to rescue and providing first aid. For specific information refer to the Emergency Overview in Section of this MSDS.

**Eye Contact:** Wash eyes with clean low-pressure water. If irritation persists, seek medical advice.

**Skin Contact:** If molten material contacts the skin, immediately flush the skin with large amounts of water to cool

the affected tissue and polymer. Do not attempt to peel the Parafilm wax from skin. Get medical

attention immediately.

**Ingestion:** Adverse health effects due to ingestion are not anticipated. If gastric irritation or discomfort persists,

seek medical advice.

#### SECTION 5 FIRE FIGHTING MEASURES

**NFPA Rating:** Health: 0 Fire: 1 Reactivity: 0

**Flammability classification:** The Parafilm wax will burn just like a candle wax. It will ignite by any open flame.

Flash Point/Method: Not applicable

Auto-Ignition Temperature: Not known

Flammable Limits:

Lower: Not applicable
Upper Not applicable

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 14/08/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

### **SAFETY DATA SHEET**

Product Code: PM996

PAGE 3 OF 6

**Hazardous Combustion** 

Products:

Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, alde-

hydes and alcohols may be formed.

**Special Conditions to Avoid:** 

Polyolefin dust particles in the atmosphere are combustible and may be explosive. Keep away from heat, sparks, flame and all other ignition sources. If the product is abraided, clean up dust

accumulations. Prevent dust accumulations and dust clouds,

**Extinguishing Media:** 

Small fires: Use dry chemicals, CO2, water spray.

Large fires: Use dry chemicals, CO2, water spray.

Fire Fighting Instructions:

**Protective Equipment/Clothing:** 

Wear a NIOSH approved positive pressure self-contained breathing apparatus and firefighter turnout

gear.

Instructions:

Use flooding quantities of water until well after fire is out.

#### SECTION 6

#### **ACCIDENTAL RELEASE MEASURES**

**Release response:** Pick up and retain for recycle or disposal.

Reportable Quantities:

See Section 15: Regulatory information.

#### SECTION 7

#### HANDLING AND STORAGE

Handling:

No particular precautions needed.

Storage:

Keep container dry. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Maximum shelf life without deterioration is three years

if stored between 7 ° C and 32 ° C and 50% relative humidity.

### SECTION 8

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** 

If user operations generate dust or fumes, ventilate area to prevent accumulation. For the normal use

in a laboratory environment, we would not anticipate any dust being formed.

**Personal Protection:** 

Inhalation:

None needed except in the case where dust is being generated, in which case, use appropriate respiratory protection where atmosphere exceeds recommended limits (for polyolefins).

**Total Dust (PNOC):** ACGIH 10mg/M3, OSHA 15 mg/M3. **Respirable Dust(PNOC)** ACGIH 3 mg/M3, OSHA 5 mg/M3.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 14/08/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

### SAFETY DATA SHEET

Product Code: PM996

PAGE 4 OF 6

**Skin:** Protective clothing such as long sleeves or a lab coat should be worn. When handling heated

materials, also be sure to use heat-resistant gloves, boots and face protection.

**Eye:** Always use safety glasses when working in the laboratory.

#### SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

Boiling Point/Range: Not applicable

**pH:** Not applicable

Vapor Pressure: Not applicable

Viscosity: Not applicable

Specific Gravity:

Solid/Liquid Not known

Vapor Not applicable

Water solubility: Insoluble

**Octanol/Water Partition** 

Coefficient in Kaw:

Specific value not known

**Melting/Freezing Point:** Material becomes "sticky" at ~ 130 - 150 ° F (55-66 ° C).

**Evaporation Rate:** Not applicable

#### SECTION 10 STABILITY AND REACTIVITY

**Chemical Stability:** The product is stable

**Conditions to Avoid:** Avoid contact with strong oxidizers, excessive heat, sparks or open flame or dust accumulation.

**Incompatibility with:** Chlorine, fuming nitric acid and strong oxidizing agents.

**Hazardous Products of** 

**Deposition:** 

Not expected to decompose under normal conditions.

**Reactions with Air and Water:** Does not react with air, water or other common materials.

### SECTION 11 TOXICOLOGICAL INFORMATION

Summary: Not considered to be toxic to humans or animals

Skin Effects: No skin effects are expected from Parafilm contact.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

EMAIL: sales@livingstone.com.au WEBSITE: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 14/08/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

### SAFETY DATA SHEET

**Product Code: PM996** 

PAGE 5 OF 6

Acute Oral Effects: Not known

Acute Inhalation Effects: Rats inhaling polyethylene dust developed mild inflammatory changes in the lungs. Prolonged

inhalation of thermal degradation products from polyethylene caused neurological effects in rats.

We would expect that inhalation of Parafilm dust could have similar effects.

**Subchronic Effects:** For polyethyelen, subchronic, 50-90 day, feeding studies conducted on rats, dogs, and swine showed

no effects from dietary levels of 1 to 20% powdered and shredded polyethylene.

IARC has listed polyethylene as a Group 3 substance (not classifiable as to carcinogenicity to humans). Although Parafilm is not polyethylene, we believe it is sufficiently close in composition that one

could infer similar effects.

Chronic Effects/Carcinogenicity: None expected

Reproductive/Development

Effects:

No reproductive or developmental effects are expected.

#### SECTION 12 ECOLOGICAL INFORMATION

**Exotoxicity:** Exotoxicity is expected to be low based on the low water solubility of polymers.

**Environmental Fate:** No information found in our selected references.

**Bioaccumulation:** Not expected to occur.

#### SECTION 13 DISPOSAL CONSIDERATIONS

This material is NOT classified as a hazardous material by RCRA. Use only licensed transporters and permitted disposal facilities and conform to all laws.

Recycle to process, if possible.

#### ( SECTION 14 ) TRANSPORT INFORMATION

Proper Shipping Name: Wax

DOT Hazard Class:

UN/NA ID:

Not Regulated

Not Applicable

Labels:

Not Regulated

Marine Pollutant: No

NAER Guidebook: Not Regulated

DOT Status: Not Regulated

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riodan Street Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 14/08/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

### SAFETY DATA SHEET

Product Code: PM996

PAGE 6 OF 6

SECTION 15 REGULATORY INFORMATION

TSCA: All components of this product are listed on the TSCA B(b) inventory. If identified components of this

product are listed under the TSCA 12(b) Export Notification Rule, they will be listed below.

TSCA 12(b) Component Listed under TSCA Section

**SARA-Section 313 Emissions Reporting:** 

Component Reporting Threshold

**SARA-Section 311/312:** No components present in this product are subject to the reporting requirements of this statute.

**CERCLA Hazardous Substances** and their Reportable Quantities:

Component Reportable Quantity

SECTION 16 OTHER INFORMATION

No Information Available

### **END OF SDS**