Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL:** sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 1 OF 9

# PRODUCT IDENTIFICATION

### 1.1. Product identifier

**Product name:**B.Braun Prontosan Wound Irrigation Gel

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

For cleansing, decolonization and moisturizing of acute/chronic skin wounds and burns

### SECTION 2 HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

### R phrases:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

### **Hazard categories:**

Hazardous to the aquatic environment: Aquatic Chronic 3

### **Hazard Statements:**

Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

**R** phrases

**52/53** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**S** phrases

Avoid release to the environment. Refer to special instructions / Safety data sheets.

### Special labelling of certain mixtures

Contains Polyhexamethylene biguanide hydrochloride. May produce an allergic reaction.

### **Hazard statements**

**H412** Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

**P273** Avoid release to the environment.

### Special labelling of certain mixtures

**EUH208** Contains Polyhexamethylene biguanide hydrochloride. May produce an allergic reaction.

# Additional advice on labelling

This product is not subject to labeling obligation according to art. 1 (5) g) of directive 1999/45/EG under the form of a medical product because it is used under body contact.

This product is not subject to labeling obligation according to art. 1 (5) d) of Regulation (EC) no. 12727/2008 under the form of a medical product because it is used under body contact.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL:** sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 2 OF 9

#### 2.3. Other hazards

Not known.

**SECTION 3** 

#### COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

#### **Chemical characterization**

Aqueous gel

EC No	Chemical name			
CAS No	Classification according to Directive 67/548/EEC			
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
REACH No				
	Polyhexamethylene biguanide hydrochloride	0,1 - < 0,25 %		
27083-27-8	T - Toxic, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R40-22-48/23-41-43-50-53			
616-207-00-X	Carc. 2, Acute Tox. 4, STOT RE 1, Eye Dam. 1, Skin Sens. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H351 H302 H372 H318 H317 H400 H410			

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4

**FIRST AID MEASURES** 

### 4.1. Description of first aid measures

### **General information**

Remove and wash contaminated clothing before re-use.

If you feel unwell, seek medical advice.

### After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. In the event of symptoms refer for medical treatment.

### After contact with skin

Consult a doctor if skin irritation persists.

### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

### After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical treatment immediately. Induce vomiting only upon the advice of a physician.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 3 OF 9

### 4.2. Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5

### **FIRE FIGHTING MEASURES**

### 5.1. Extinguishing media

### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

### Extinguishing media which must not be used for safety reasons

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Irritant/corrosive, flammable as well as toxic distillation gases (carbonization gases).

### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6

### **ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au **WEBSITE**: www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 4 OF 9

#### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7

### HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. When using do not eat, drink or smoke. Avoid contact with eyes.

### Advice on protection against fire and explosion

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep only in original container.

### **Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

For cleansing, decolonization and moisturizing of acute/chronic skin wounds and burns

SECTION 8

### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

### 8.2. Exposure controls

### **Protective and hygiene measures**

When using do not eat, drink or smoke. Avoid contact with the eyes.

Remove and wash contaminated clothing before re-use.

### **Respiratory protection**

No special protective equipment required.

### **Hand protection**

No special protective equipment required.

### Eye protection

No special protective equipment required.

### Skin protection

No special protective equipment required.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au WEBSITE: www.livingstone.com.au **PHONE**: 1300 548 289 FAX: 1300 780 008



25/11/2024 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:** 

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 5 OF 9

# **SECTION 9**

### PHYSICAL/CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

**Physical state:** Viscous

Colour: Colourless - yellowish

Odour. Odourless

Test method

pH-Value (at 20 °C): approx. 6

Changes in the physical state

Flash point: n.a. Lower explosion limits: n.a.

Lower explosion limits:

Ignition temperature: n.a.

**Auto-ignition temperature** 

Solid: approx. Density (at 20 °C): approx. 1,0 g/cm<sup>3</sup> Water solubility: Miscible (at 20 °C)

Viscosity / dynamic: \*) (at 20 °C)

### 9.2. Other information

\*) approx. 2000 mPa·s (Wound Gel) / approx. 15000 mPa·s (Wound Gel X)

### SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL**: sales@livingstone.com.au WEBSITE: www.livingstone.com.au **PHONE**: 1300 548 289 **FAX**: 1300 780 008



25/11/2024 Issue Date:

Last Revision Date: N/A Superseded Date: **Version Number:** 

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 6 OF 9

### 10.5. Incompatible materials

No materials to be especially mentioned.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11 TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

### **Acute toxicity**

No toxicological data available.

Polyhexamethylene biguanide hydrochloride 20%

LD50/oral/rat: > 2000 mg/kg

CAS No	Chemical name				
	Exposure routes	Method Dose	Species	h	
27083-27-8	Polyhexamethylene biguanide hydrochloride				
	Acute oral toxicity	ATE500 mg/kg			

### Irritation and corrosivity

Skin irritation: Not classified. Eye irritation: Not classified.

### Sensitising effects

Not classified.

### Severe effects after repeated or prolonged exposure

STOT - Single exposure: Not classified. STOT - Repeated exposure: Not classified.

Aspiration hazard: Not classified.

# Carcinogenic/mutagenic/toxic effects for reproduction

Carcinogenicity: Not classified. [Animal tests have shown that polyhexanide constitutes no carcinogenic or teratogenic risk to human being.]

Mutagenicity: Not classified.

Reproductive toxicity: Not classified.

### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

# **Empirical data on effects on humans**

Contact with eyes may cause irritation.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL:** sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 7 OF 9

SECTION 12

### **ECOLOGICAL INFORMATION**

### 12.1. Toxicity

Ecological data are not available. Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

Low hazard to waters.

### **Further information**

Do not flush into surface water or sanitary sewer system.

SECTION 13

### **DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

### **Advice on disposal**

Can be disposed of as a solid waste or burned in a suitable installation subject to local regulations. Where possible recycling is preferred to disposal.

### Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants

and cosmetics; wastes not otherwise specified

### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL:** sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

PAGE 8 OF 9

# SECTION 14 TRANSPORT INFORMATION

### Other applicable information

No hazardous material as defined by the transport regulations.

### SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

**1999/13/EC (VOC):** 0 %

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### SECTION 16 OTHER INFORMATION

### Relevant R-phrases (Number and full text)

22 Harmful if swallowed.

**40** Limited evidence of a carcinogenic effect.

41 Risk of serious damage to eyes.

43 May cause sensitisation by skin contact.

**48/23** Toxic: danger of serious damage to health by prolonged exposure through inhalation.

**50** Very toxic to aquatic organisms.

53 May cause long-term adverse effects in the aquatic environment.

### Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

**H317** May cause an allergic skin reaction.

H318 Causes serious eye damage.H351 Suspected of causing cancer.

**H372** Causes damage to organs through prolonged or repeated exposure.

**H400** Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.

**EUH208** Contains Polyhexamethylene biguanide hydrochloride. May produce an allergic reaction.

Branches in Sydney, Melbourne, Brisbane and Perth HEAD OFFICE: Suite 1, Level 9, Building 3, 189 O'Riordan Street ABN 66 052 001 144 Mascot NSW 2020 AUSTRALIA

**EMAIL:** sales@livingstone.com.au **WEBSITE:** www.livingstone.com.au

**PHONE**: 1300 548 289 **FAX**: 1300 780 008



Issue Date: 25/11/2024

Last Revision Date: N/A Superseded Date: N/A Version Number: 01

# SAFETY DATA SHEET

Product Code: PRONTOSAN400505

**PAGE 9 OF 9** 

#### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations. (n.a. = not applicable; n.d. = not determined)

# **END OF SDS**