

## LIVINGSTONE INTERNATIONAL PT

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984



Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

**Phone:** 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

29/06/2018 Issue Date:

**Revision Date:** N/A Supersedes Date: N/A Version Number: 01

### SAFETY DATA SHEET





**Product Code: SFNACETONE250** 

**PAGE 1 OF 4** 

#### Section 1 - Product Identification

Substance: Blend of ingredients; principally ethyl acetate and ethanol.

Non Acetone Polish Remover Trade Name: Product Use:

Nail polish remover.

### Section 2 - Hazard Identification

**GHS Classification** Flammable Liquids: Category 2

Eye Damage/Irritation: Category 2A

Signal Word

Hazard Statement(s) H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

Pictogram(s)





Flame

**Exclamation Mark** 

#### Precautionary Statement(s)

**Prevention** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Response

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to

do - continue rinsing.

P337+313 If eye irritation persists get medical advice/attention.

P370+378 In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinguishing.

P403+235 Store in a well ventilated place. Keep cool. Storage

**Disposal** P501 Dispose of contents/container to an approved waste disposal plant.

Section 3 - Composition/Information on Ingredients				
Ingredients	CAS No	Conc,%	TWA (mg/m3)	STEL (mg/m3)
Ethyl acetate	141-78-6	60	720	1440
Ethanol	64-17-5	10-30	1880	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The ASCC TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Information provided on this document is presented in good faith and believed to be correct based on the best data currently available, Livingstone International makes no representations or warranties, expressed or implied as to the completeness or accuracy of the information. In no event will Livingstone International be liable for any errors or omissions in the information provided herein. Information is supplied upon the condition that any persons or corporate receiving same will make independent determination as to its suitability for their own purposes prior to use, and in no event will Livingstone International be responsible for damages of any nature whatsoever resulting from the use of product or reliance upon information provided. Information is provided on an "as is" basis, no representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature are made herein with respect to information of the product.



## LIVINGSTONE INTERNATIONAL PTY LTD

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

**Phone:** 1300 780 078 • (02) 9313 6111

80 078 • (02) 9313 6111 Fax: (02) 9313 6444

NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 29/06/2018

Revision Date: N/A Supersedes Date: N/A Version Number: 01

### SAFETY DATA SHEET

**Product Code: SFNACETONE250** 

**PAGE 2 OF 4** 

#### Section 4 - First Aid Measures

#### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Gently blot away excess liquid. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

### **Section 5 - Fire Fighting Measures**

Fire and Explosion Hazards: This product is classified as highly flammable. There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Firefighters should take care and appropriate precautions. Any explosion will likely spread the fire to surrounding materials. Water spray may be used to cool drums involved in a fire, reducing the chances of an explosion. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures. Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog. Water fog or fine spray is the preferred medium for large fires. Ensure that no spillage enters drains or water courses. Fire Fighting: Immediately evacuate the area of unnecessary personnel.

### Section 6 - Accidental Release Measures

Accidental release: This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, refer to product label for specific instructions. It is good practice to wear butyl rubber or neoprene gloves when handling this product. In the event of a major spill (more than a few litres), prevent spillage from entering drains or water courses and call emergency services. Do not allow to contact with ingredients mentioned in Section 10 below.

### Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store in a cool, well ventilated area, and make sure that surrounding electrical devices and switches are suitable. Check containers periodically for leaks. Containers should be kept closed in order to minimise contamination and possible evaporation. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. If you keep more than 2500kg or L of Dangerous Goods of Packaging Group II, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

### Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

ASCC Exposure Limits TWA (mg/m3) STEL (mg/m3)
Ethyl acetate 720 1440
Ethanol 1880 not set

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

Information provided on this document is presented in good faith and believed to be correct based on the best data currently available, Livingstone International makes no representations or warranties, expressed or implied as to the completeness or accuracy of the information. In no event will Livingstone International be liable for any errors or omissions in the information provided herein. Information is supplied upon the condition that any persons or corporate receiving same will make independent determination as to its suitability for their own purposes prior to use, and in no event will Livingstone International be responsible for damages of any nature whatsoever resulting from the use of product or reliance upon information provided. Information is provided on an "as is" basis, no representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature are made herein with respect to information of the product.



## LIVINGSTONE INTERNATIONAL PTY

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

**Phone:** 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444 NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

29/06/2018 Issue Date:

**Revision Date:** N/A Supersedes Date: N/A Version Number: 01

## SAFETY DATA SHEET

**Product Code: SFNACETONE250** 

PAGE 3 OF 4

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: There is no specific recommendation for any particular protective material type.

No data.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Eyebaths or eyewash stations should be provided near to where this product is being used.

### Section 9 - Physical and Chemical Properties:

**Physical Description &** Clear, pale pink liquid.

colour: Sweet ester/alcohol odour.

Odour: >70°C at 100kPa

**Boiling Point:** No specific data. Liquid at normal temperatures.

>99%

Freezing/Melting Point: Volatiles: 10kPa at 20°C No data. Vapour Pressure:

Vapour Density: 0.88 at 20°C Specific Gravity: Miscible. Water Solubility: No data. pH: No data. . Volatility: No data. **Odour Threshold:** No data. **Evaporation Rate:** No data.

Coeff Oil/water Distribution:

**Autoignition temp:** 

Flash point: -5°C Upper Flammability Limit: 11.0% Lower Flammability Limit: 2.0% No data Autoignition temperature:

Flammability Class: Highly flammable

### Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated. Keep away from sources of sparks or ignition. Any electrical equipment in the area of this product should be flame proofed.

Incompatibilities: Strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

### Section 11 - Toxicological Information

Local Effects:

**Target Organs:** There is no data to hand indicating any particular target organs.

### Classification of Hazardous Ingredients

Ingredient Risk Phrases

Ethyl Acetate Conc>=20%: Xi: R36

Information provided on this document is presented in good faith and believed to be correct based on the best data currently available, Livingstone International makes no representations or warranties, expressed or implied as to the completeness or accuracy of the information. In no event will Livingstone International be liable for any errors or omissions in the information provided herein. Information is supplied upon the condition that any persons or corporate receiving same will make independent determination as to its suitability for their own purposes prior to use, and in no event will Livingstone International be responsible for damages of any nature whatsoever resulting from the use of product or reliance upon information provided. Information is provided on an "as is" basis, no representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature are made herein with respect to information of the product.



# LIVINGSTONE INTERNATIONAL PTY LTD

100% PROUDLY AUSTRALIAN OWNED • SINCE 1984

dlcs 9007 contified

Head Office: 106 - 116 Epsom Road, Rosebery NSW 2018 AUSTRALIA Branches in Melbourne, Brisbane, Perth

Phone: 1300 780 078 • (02) 9313 6111 Fax: (02) 9313 6444

NEW Website: www.livingstone.com.au

Email: sales@livingstone.com.au

Issue Date: 29/06/2018

Revision Date: N/A Supersedes Date: N/A Version Number: 01

### SAFETY DATA SHEET

**Product Code: SFNACETONE250** 

PAGE 4 OF 4

### Section 12 - Ecological Information

This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

### **Section 13 - Disposal Considerations**

**Disposal:** There are many pieces of legislation covering waste disposal and they differ in each state and territory, so each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. The Hierarchy of Controls seems to be common - the user should investigate: Reduce, Reuse, and Recycle and only if all else fails should disposal be considered. Note that properties of a product may change in use, so that the following suggestions may not always be appropriate. The following may help you in properly addressing this matter for this product. This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

### Section 14 - Transport Information

ADG Code: 1170, ETHANOL SOLUTION

Hazchem Code: 2[Y]E Special Provisions: SP144, SP184

Dangerous Goods Class: Class 3, Flammable liquids.

Packaging Group: II

Packaging Method: 3.8.3, RT1

Class 3 Flammable Liquids shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 2.1 (Flammable Gases where flammable liquids and flammable gases are both in bulk), 2.3 (Toxic Gases), 4.2 (Spontaneously Combustible Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), 6 (Toxic Substances, except Flammable Liquid is nitromethane), and 7 (Radioactive Substances). They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.1 (Flammable Gases except where the Flammable Liquids and Flammable Gases are in bulk), 2.2 (Non-Flammable Non-Toxic Gases), 4.1 (Flammable Solids), 4.3 (Dangerous When Wet Substances), 6 (Toxic Substances, except where Flammable Liquid is nitromethane), 8 (Corrosive Substances), 9 (Miscellaneous Dangerous Goods), Foodstuffs or foodstuff empties.

### Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

### Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms: ADG Code

Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances

ASCC Office of the Australian Safety and Compensation Council

CAS Number Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to

emergency services especially firefighters

International Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

**R-Phrase** Risk Phrase

**SUSDP** Standard for the Uniform Scheduling of Drugs & Poisons

**UN Number** United Nations Number

### **END OF SDS**

Information provided on this document is presented in good faith and believed to be correct based on the best data currently available, Livingstone International makes no representations or warranties, expressed or implied as to the completeness or accuracy of the information. In no event will Livingstone International be liable for any errors or omissions in the information provided herein. Information is supplied upon the condition that any persons or corporate receiving same will make independent determination as to its suitability for their own purposes prior to use, and in no event will Livingstone International be responsible for damages of any nature whatsoever resulting from the use of product or reliance upon information provided. Information is provided on an "as is" basis, no representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature are made herein with respect to information of the product.